


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Ownership Details Functionality	1	0	1	0	1 m 15.477 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Ownership Details Functionality	Validate all the fields of Ownership Details Screen	20	5	1	14	1 m 15.473 s

DETAILED SECTION -- 4 --

(F)- Ownership Details Functionality

FAILED	DURATION - 1 m 15.477 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 3:03:58.244 pm	n // 3:05:13.721 pm /	Pass - 0	1	Pass - 5	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 14	

(S)- Validate all the fields of Ownership Details Screen



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	35.432 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.561 s
	screenshot		
	ASSITIO LOGIS 2 2 200 200 200 200 400 Company		
2	And user click on Inbox Icon	PASSED	0.826 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.705 s
	screenshot		
	ASENTO INCLUDE TO THE REAL PROPERTY OF THE REAL PR		

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.311 s
	*** ASSETTO*** *** ASSETTO*** *** ASSETTO*** *** ASSETTO** ** ASSETTO** *** ASSETTO** ** ASSETTO** *** A		
4	Then search Ownership Details record	PASSED	0.546 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.244 s
	ASSETION		
5	And user click on First record of Appdata Entry	PASSED	5.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
	screenshot		
	ASSETION		
6	And naviagte to the Ownership Details Segment button	FAILED	20.809 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button[contains(text(),'Next')]' (tried for 2 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.OwnershipDetails.naviagte_to_the_ownership_details_segment_button(OwnershipDetails.java:68) at ?.naviagte to the Ownership Details Segment button(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/OwnershipDetails.feature:10) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[contains(text(),'Next')]"} (Session info: chrome=107.0.5304.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [12db43f25b5c27b79b85de9bac7cac9f, findElement {using=xpath,		


#	Step / Hook Details	Status	Duration
	value=//button[contains(text(),'Next')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121,		
	chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions:		
	{debuggerAddress: localhost:52923}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52923/devtoo, se:cdpVersion: 107.0.5304.121,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		
	12db43f25b5c27b79b85de9bac7cac9f		
	at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.OwnershipDetails.naviagte_to_the_ownership_details_segment_button(OwnershipDetails.java:68)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		

	Step / Hook Details	Status	Duration
at io.cucumber.core.ru	nner.TestStep.executeStep(TestStep.java:92)		
at io.cucumber.core.ru	nner.TestStep.run(TestStep.java:64)		
at io.cucumber.core.ru	nner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
at io.cucumber.core.ru	nner.TestCase.run(TestCase.java:104)		
at io.cucumber.core.ru	nner.Runner.runPickle(Runner.java:71)		
at io.cucumber.testng.	TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
at io.cucumber.core.ru	ntime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
at io.cucumber.testng.	TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
at io.cucumber.testng.	AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
at java.base/jdk.intern	al.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.intern	al.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.intern	al.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java.base/java.lang.	reflect.Method.invoke(Method.java:568)		
at org.testng.internal.N	lethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
at org.testng.internal.T	estInvoker.invokeMethod(TestInvoker.java:598)		
at org.testng.internal.T	estInvoker.invokeTestMethod(TestInvoker.java:173)		
at org.testng.internal.N	lethodRunner.runInSequence(MethodRunner.java:46)		
at org.testng.internal.T	estInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
at org.testng.internal.T	estInvoker.invokeTestMethods(TestInvoker.java:146)		
at org.testng.internal.T	estMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
at org.testng.internal.T	estMethodWorker.run(TestMethodWorker.java:128)		
at java.base/java.util.A	rrayList.forEach(ArrayList.java:1511)		
at org.testng.TestRuni	er.privateRun(TestRunner.java:794)		
at org.testng.TestRuni	er.run(TestRunner.java:596)		
at org.testng.SuiteRun	ner.runTest(SuiteRunner.java:377)		
at org.testng.SuiteRun	ner.runSequentially(SuiteRunner.java:371)		
at org.testng.SuiteRun	ner.privateRun(SuiteRunner.java:332)		
at org.testng.SuiteRun	ner.run(SuiteRunner.java:276)		
at org.testng.SuiteRun	nerWorker.runSuite(SuiteRunnerWorker.java:53)		
at org.testng.SuiteRun	nerWorker.run(SuiteRunnerWorker.java:96)		
at org.testng.TestNG.r	unSuitesSequentially(TestNG.java:1212)		
at org.testng.TestNG.r	unSuitesLocally(TestNG.java:1134)		
at org.testng.TestNG.r	unSuites(TestNG.java:1063)		
at org.testng.TestNG.r	un(TestNG.java:1031)		
at org.testng.remote.A	bstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
at org.testng.remote.R	emoteTestNG.initAndRun(RemoteTestNG.java:251)		
at org.testng.remote.R	emoteTestNG.main(RemoteTestNG.java:77)		
* Not displayable charact	ers are replaced by '?'.		
AFTER_STEP - stepd	efinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
screenshot			


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	ASERTIC		
7	Then verify the field Owner Power Of Attorney Details	SKIPPED	0.001 s
8	Then verify the field Name of Ownership Details	SKIPPED	0.000 s
9	Then verify the field Id Type is Pan Card	SKIPPED	0.000 s
10	Then verify the field Id Number when Id Type is Pan Card	SKIPPED	0.000 s
11	Then verify the field Id Type is Aadhar Card	SKIPPED	0.000 s
12	Then verify the field Id Number when Id Type is Aadhar Card	SKIPPED	0.000 s
13	Then verify the field Issue date of Ownership Details	SKIPPED	0.000 s
14	Then verify the field Issue Place of Ownership Details	SKIPPED	0.000 s
15	Then verify the field City of Ownership Details	SKIPPED	0.000 s
16	Then verify the field Mobile of Ownership Details	SKIPPED	0.000 s
17	Then verify the field Phone of Ownership Details	SKIPPED	0.000 s
18	Then verify the field Mobile2 of Ownership Details	SKIPPED	0.000 s
19	Then verify the field Fax of Ownership Details	SKIPPED	0.000 s
20	Then verify the field Email of Ownership Details	SKIPPED	0.000 s

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION

