Cucumber Report

Start : Jul 21, 7:29:15.943 PM	End : Jul 21, 7:30:17.877 PM	Duration : 1 m 1.934 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 19 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	1 m 1.934 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	21	19	1	1	1 m 1.931 s

(F)- Product Master Retail Functionality

| FAILED	DURATION - 1 m 1.934 s	Scenarios		Steps	
/ 7:29:15.943 PM // 7:30:17.877 PM /		Total - 1	1	Total - 21	21
		Pass - 0		Pass - 19	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- verify Checker user is able to Approve the record

FAILED	DURATION - 1 m 1.931 s		Steps	
/ 7:29:15.946 PM // 7:30:17.877 PM /			Total - 21	21
Product Master Retail Functionality			Pass - 19	
@ProductMaster_Retail_Approve_Reject_Return			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.719 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.197 s
4	Then click on Product Master eye icon	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.171 s
5	Then click on Product Master add button	PASSED	3.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.255 s
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.131 s

#	Step / Hook Details	Status	Duration
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
8	Then Enter Product Description	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
10	Then verify the field Remarks	PASSED	4.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on save button	PASSED	3.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
12	Then validate Success pop up	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
13	Then click on inbox	PASSED	3.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
14	And open record for Approve	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then submit the Record	PASSED	8.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot 		
16	Then Logout from Maker	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
	screenshot 		
17	And User Login as Checker	PASSED	10.675 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot 		
18	Then click on Menu	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then click on inbox	PASSED	3.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
20	Then Open the record to approve it	FAILED	3.029 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]/../../td/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [b31665f45b3c2a102d7a51a9fb5acf5e, findElement {using=xpath, value=//span[contains(text(),'null')]/../../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52926}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52926/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b31665f45b3c2a102d7a51a9fb5acf5e
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.open_the_record_to_approve_it(ProductMaster_Retail.java:335) at ?.Open the record to approve it(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:109) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.092 s
21	Then approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

AZENTIO™

% | 📌 | 📋

⊙ Asset Collateral Config
⊙ Business Rules
⊙ Corporate Masters
⊙ Misc Config
⊙ Other Masters
⊙ Product Definitions
⊙ Product Setup
⊙ Regulatory Product Defini…
⊙ Project Setup
⊙ Config Manager
⊙ Sample Screens

✉ | English ▾ | LOS ▾ | Azentio Software ▾ | ⊞ | 🔔 | **Puneet** 01-Sep-2023 ⏻

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

🎨

▦ Powered by Metabase


(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

AZENTIO™

% | 📌 | 📋

⊙ Asset Collateral Config
⊙ Business Rules
⊙ Corporate Masters
⊙ Misc Config
⊙ Other Masters
⊙ Product Definitions
⊙ Product Setup
⊙ Regulatory Product Defini…
⊙ Project Setup
⊙ Config Manager
⊙ Sample Screens

✉ | English ▾ | LOS ▾ | Azentio Software ▾ | ⊞ | 🔔 | **Puneet** 01-Sep-2023 ⏻

Product wise Analysis

Product-wise Amount Financed

97.0M
80,000,000
60,000,000
40,000,000
23.0M   26.0M
20,000,000   5.0M 2.0M 2.0M 6.0M
0
     AHL AAL APL CD AFC CC TL
              Productcode

Subproduct-wise Amount Financed

Scheme wise Amount Financed

🎨

▦ Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

Product Master

Action	Product Group ↑↓	Product Code ↑↓	Product Description ↑↓	Retail/Corporate ↑↓	Status ↑↓
✏ 👁	98303249	5634	dfdf	C	Active
✏ 👁	98303249	HOMPUR2	Housing Loan 2	R	Active
✏ 👁	98303249	KLLL		C	Active
✏ 👁	98303275	1212		R	Active
✏ 👁	98303249	HOMPUR1		R	Active

Showing 1 to 5 of 89 entries ‹‹ ‹ 1 2 3 4 5 › ›› 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

Product Master

Product Group *
Lending

Product Code *

Product Description *
Select
Deposits
Lending ✓
Trade
Treasury

Retail/Corporate *
Select

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify Checker user is able to Approve the record (F) Product Master Retail Functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify Checker user is able to Approve the record (F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

				Profile	

AZENTIO™

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5647	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:27	TSW	
	5640	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:13	TSW	
	5639	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	

Sidebar menu:
- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Puneet
01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

English ⌄   No Module Mapped ⌄   Azentio Software ⌄   Rajesh 01-Sep-2023

Inbox

Sub-ordinates ⌄

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5648	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:29	TSW	
	5645	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:24	TSW	
	5643	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:21	TSW	
	5642	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:19	TSW	
	5637	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 18:59	TSW	
	5591	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 12:56	TSW	
	48	SCHEME_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 10:2	TSW	
	5558	PRODUCT_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 23:25	TSW	
	5554	PRODUCT_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 20:18	TSW	
	41	SCHEME_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 19:12	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

English ⌄   No Module Mapped ⌄   Azentio Software ⌄   Rajesh 01-Sep-2023

Inbox

Sub-ordinates ⌄

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5648	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:29	TSW	
	5645	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:24	TSW	
	5643	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:21	TSW	
	5642	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:19	TSW	
	5637	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 18:59	TSW	
	5591	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 12:56	TSW	
	48	SCHEME_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 10:2	TSW	
	5558	PRODUCT_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 23:25	TSW	
	5554	PRODUCT_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 20:18	TSW	
	41	SCHEME_MST	CHECKER	LOSCHK	in01951	20-Jul-2022 19:12	TSW	