


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	1	0	0	1 m 3.923 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to add new Customer Information	19	19	0	0	1 m 3.919 s
		record in the system by entering invalid data					

DETAILED SECTION

(F)- Title of your feature

PASSED	DURATION - 1 m 3.923 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 3:56:39.470 PM	1 // 3:57:43.393 PM /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify user is able to add new Customer Information record in the system by entering invalid data

PASSED DURATION - 1 m 3.919 s	10 The steps	
/ 3:56:39.474 PM // 3:57:43.393 PM /	8 Total - 19	
7 6.66.65.47 4 7 W W 6.67.46.656 7 W 7	4	19
Title of your feature	2 - Fail - O	10
@AT_CD_03 @tag	0 - Skip - 0	
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		
	AZENTIO		
2	And login with valid credentials	PASSED	4.775 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.571 s
	screenshot		
	AZENTIO AZENTIO USUSAURIE LOS LOS LOS LOS LOS LOS LOS LO		

A And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) A And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.	#	Step / Hook Details	Status	Duration
screenshot And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s PASSED 0.224 s 0.225 s 0.235 s 0.235 s 0.255 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s 0.226 s 0.227 s 0.227 s 0.228 s 0.280 s	3	And User get the test data for test case AT_CD_03	PASSED	0.201 s
And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions, HooksClass, addScreenshot(io.cucumber.java.Scenario) Screenshot And User select the module name as LOS in ULS application AFTER_STEP - stepdefinitions, HooksClass, addScreenshot(io.cucumber.java.Scenario) AA d User click the Mail box in ULS application AFTER_STEP - stepdefinitions, HooksClass, addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s 0.224 s 0.		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s PASSED 0.283 s PASSED 0.253 s PASSED 0.325 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s PASSED 0.280 s PASSED 0.283 s		screenshot		
4 And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s 0.225 s 0.226 s 0.267 s 0.27 s 0.27 s 0.28 s 0.28 s 0.29 s 0.20 s				
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot And User select the module name as LOS in ULS application AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.224 s 0.224 s 0.224 s 0.224 s 0.225 s PASSED 0.224 s 0.225 s 0.226 s 0.226 s 0.227 s 0.227 s 0.228 s				
screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s	4	And User click the module name dropdown in ULS application	PASSED	0.224 s
And User select the module name as LOS in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
And User click the Mail box in ULS application And User click the Mail box in ULS application Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) And User click the Mail box in ULS application Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED 0.280 s PASSED 0.283 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User click the Mail box in ULS application AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And User click the Search button under inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s PASSED 0.253 s AND User click the Search button under inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s PASSED 0.200 s				
screenshot And User click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s PASSED 0.253 s PASSED 0.325 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s	5	And User select the module name as LOS in ULS application	PASSED	5.603 s
And User click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s PASSED 0.253 s 0.253 s PASSED 0.325 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
And User click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.280 s PASSED 0.253 s PASSED O.325 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s 0.253 s PASSED 0.325 s 0.325 s				
7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s 0.200 s	6	And User click the Mail box in ULS application	PASSED	0.280 s
7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.325 s 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s				
	7	And User click the Search button under inbox	PASSED	0.325 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
		screenshot]	


#	Step / Hook Details	Status	Duration
	AZENTO		
8	And User search the Ref id under inbox	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
	ASSERTION *** The Text of Tex		
9	And User click the Entitle button under inbox	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
	### ADSTO		
10	And user click the customer details tab	PASSED	1.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
	ASERTO PARIS DE DI SOLI DE LA CONTRACTOR		
11	And user click the add button under customer details tab	PASSED	0.895 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		


#	Step / Hook Details	Status	Duration
	ALERTO VAND D D D D D D D D D D D D D D D D D D		
12	And user click the save button under cusomer details	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	ACTION PARTY OF BOOK		
13	And user verify the popup post clicking save button	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
	ARTHUR JAMES E SOLICI S		
14	And user click on the first name textfield	PASSED	9.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
	ACTION AND DESCRIPTION AND DESCRIPTION		
15	And user verify the invalid message of first name textfield	PASSED	0.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		


# Step / Hook Details Sta	atus Duration
ADENTO Part of the No. 100 to the N	
16 And user click on the no of dependents field PASSE	ED 0.262 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	ED 0.172 s
screenshot	
ASERTO AND AND DESCRIPTION OF THE PROPERTY OF	
And user verify error message of no of dependents field PASSE	ED 0.039 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	ED 0.122 s
screenshot	
ASENTO AND THE CONTROL OF THE CONTR	
18 And user click the save button under cusomer details PASSE	ED 27.946 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	ED 0.226 s
screenshot	
A PERTO Deadle	
19 And user verify the popup post clicking save button PASSE	ED 0.064 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	ED 0.215 s
screenshot	

DETAILED SECTION -- 9 --


# Step / Hook Details	Status	Duration
A ATENTO Manual of		










EXPANDED SECTION












EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

