


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of project master	1	1	0	0	32.452 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of project master	Project Master - To verify the impact when user enter	7	7	0	0	32.449 s
		numeric value in character field,					

**DETAILED SECTION** 

## **(F)-** Check the functionality of project master

PASSED	DURATION - 32.452 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 3:52:52.482 PM	// 3:53:24.934 PM /	Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Project Master - To verify the impact when user enter numeric value in character field,

PASSED DURATION - 32.449 s	20 -		 ;-	 <del>'</del>	-;				Steps	
/ 3:52:52.485 PM // 3:53:24.934 PM /	15 -		 	 	-				Total - 7	
	10 -		  -	 <del> </del>	-¦				Pass - 7	7
Check the functionality of project master	5 -		  -	 					Fail - 0	
@AT-PM-T007-D1	- 1		 <u> </u>	 <u> </u>	<u> </u>	<del></del>	<u> </u>		Skip - 0	
		1	2	3	4	5	6	7		


#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	21.701 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.594 s
	screenshot		
	A SENTIO		
2	And Click the configuration	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
	AZENTO		


Then Click the config Manager  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click on eye icon of project master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)
Screenshot  4 And click on eye icon of project master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then choose the data set id for modification with invalid data  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.336 s  PASSED  0.387 s
4 And click on eye icon of project master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then choose the data set id for modification with invalid data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.336 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.337 s
4 And click on eye icon of project master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then choose the data set id for modification with invalid data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.336 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.337 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then choose the data set id for modification with invalid data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.402 s  0.402 s
Screenshot  Then choose the data set id for modification with invalid data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.336 s  PASSED  0.387 s
5 Then choose the data set id for modification with invalid data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.336 s  0.387 s
Then choose the data set id for modification with invalid data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.336 s  0.387 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.387 s
screenshot    Compared to the last of the
AZENTO  SAME AND SAME
6 Then click on edit button of record to modify in project master 2.541 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.318 s
screenshot
A 200 TO Section 1 To 100 TO 1
7 Then verify system should not allow to enter invalid datatypes in project master PASSED 0.175 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s
screenshot

DETAILED SECTION -- 6 --


#	Step / Hook Details	Status	Duration
AZENTO			

EXPANDED SECTION -- 7





EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

