

Cucumber Report

08-Sep-2022, 12:02:56 pm

Start : Sep 08, 12:02:16.422 pm

End : Sep 08, 12:02:51.604 pm

Duration : 35.182 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>Check The functionality of the Personal Details App data Entry</u>	1	0	1	0	35.182 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify customer details list view	15	8	1	6	35.175 s





(F)- Check The functionality of the Personal Details App data Entry





FAILED	DURATION - 35.182 s	Scenarios		Steps	
/ 12:02:16.422 pm // 12:02:51.604 pm /		Total - 1		Total - 15	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- verify customer details list view

<div>FAILED</div> <div>DURATION - 35.175 s</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 12:02:16.429 pm // 12:02:51.604 pm /</div>			
<div>Check The functionality of the Personal Details App data Entry</div>			
<div>@AT_PDE_004</div>			

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	12.526 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.506 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.472 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	0.573 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot 		
4	And user click on Inbox Icon	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.714 s
	screenshot 		
5	And user click search icon	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot 		
6	And user search Appdata Entry	PASSED	0.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And user click on First record of Appdata Entry	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot 		
8	And user click on Customer Details Tab	PASSED	5.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.742 s
	screenshot 		
9	And user verify the CIF ID List view	FAILED	0.114 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "org.openqa.selenium.WebElement.getAttribute(String)" is null at stepdefinitions.PersonalDetails_AppDataEntry.user_verify_the_cif_id_list_view(PersonalDetails_AppDataEntry.java:871) at ? user verify the CIF ID List view(file:///C:/Users/inindc00075/git/Arshath_ULT/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:127) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot 		

#	Step / Hook Details	Status	Duration
10	And user verify the First Name List View	SKIPPED	0.000 s
11	And user verify the Middle Name List View	SKIPPED	0.001 s
12	And user Verify the Last Name List View	SKIPPED	0.000 s
13	And user verify the Customer Type List View	SKIPPED	0.000 s
14	And user verify the Applicant Type List View	SKIPPED	0.000 s
15	And user verify the Status List View	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view


(F) Check The functionality of the
Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view


(F) Check The functionality of the
Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view


(F) Check The functionality of the
Personal Details App data Entry



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry



Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

Showing 1 to 10 of 175 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Inbox

AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

Showing 1 to 10 of 175 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, Facility Details, Customer employment, and Income. The main area shows an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 entries, all with 'APP_CREATE' event codes and 'APPDATAENT' stage codes. The third entry (Reference Id 10703) is highlighted with a blue border and an 'Entitle' button. At the bottom, it says 'Showing 1 to 10 of 90 entries' with pagination controls.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:4	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 18:18	HLW	AHL
	10681	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 16:28	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry



The screenshot displays the AZENTIO ONEBanking application interface. The sidebar menu is the same as in the previous screenshot. The main area shows a 'Customer Personal Information' form. At the top, there are tabs: Prev, Application Info, Customer details (active), Additional Customer Info, Customer Financials, Facility Info, Document Details, and Next. The form contains several input fields for personal information, including name, date of birth, and address. A blue circular button with a gear icon is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking interface. On the left is a dark blue sidebar menu with options: Dashboard, Configurations, Transactions, Customer details (selected), Customer details islamic, Customer identification details, Customer address details, Application Details, Facility Details, Customer employment, and Income. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry is visible for 'Aakash Patel' with status 'Active'. The page includes a top navigation bar with tabs like 'Application Info', 'Customer details', and 'Additional Customer Info'. A bottom right corner contains a blue circular button with a gear icon.

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>	 		Aakash		Patel	I	P	Active