

# Cucumber Report

Jul 20, 2022, 7:45:26 PM

Start : Jul 20, 7:45:02.958 PM

End : Jul 20, 7:45:24.832 PM

Duration : 21.874 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	21.874 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	15	8	1	6	21.870 s





**(F)- Check the functionality of product master**




<b>FAILED</b>	<b>DURATION - 21.874 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 8 Fail - 1 Skip - 6	
/ 7:45:02.958 PM // 7:45:24.832 PM /					


**(S)- Product Master - Modify records (approve, reject and return) at maker stage**

<div>FAILED</div> <div>DURATION - 21.870 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 7:45:02.962 PM // 7:45:24.832 PM /				
Check the functionality of product master				
@M5				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.989 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.580 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.437 s
	screenshot		
			
5	Then click on edit button of record to modify	PASSED	1.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.471 s
	screenshot		
			
6	Then user should verify the buttons available on screen while modify	PASSED	0.494 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify system should modify before approved the record	PASSED	0.466 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	<p>screenshot</p> 		
8	And click on eye icon of product master	PASSED	0.457 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	<p>screenshot</p> 		
9	Then verify system should modify already approved record	FAILED	0.233 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),'98303275')]/../td[1]/span[1]/button[1]/span[1])[1]"}</p> <p>(Session info: chrome=100.0.4896.127) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [54828bfc1bdd50b7c727a2348eb46823, findElement {using=xpath, value=(//span[contains(text(),'98303275')]/../td[1]/span[1]/button[1]/span[1])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:57698}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57698/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 54828bfc1bdd50b7c727a2348eb46823</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.verify_system_should_modify_already_approved_record(ProductMaster_Retail.java:93) at ?.verify system should modify already approved record(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	<p>screenshot</p> 		
10	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
11	Then system should display the confirmation message	SKIPPED	0.000 s
12	Then click on inbox button	SKIPPED	0.001 s
13	And select the modified record from inbox to approve	SKIPPED	0.000 s
14	Then click on submit button	SKIPPED	0.001 s
15	Then user verify that system should display confirmation message after submit	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the AZENTIO Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three panels: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". All three panels display a loading spinner. The top navigation bar includes a hamburger menu, an envelope icon, language selection (English), LOS selection, "Azentio Software", a grid icon, a bell icon, a user profile for "Puneet" (01-Sep-2023), and a dark blue circular button with a white gear icon. The footer indicates "Powered by Metabase".

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the AZENTIO Product wise Analysis dashboard. The left sidebar contains the same menu as the previous screenshot. The main content area is titled "Product wise Analysis" and contains three panels: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". The "Product-wise Amount Financed" panel displays a bar chart with the following data:


Productcode	Amount Financed (M)
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

The "Subproduct-wise Amount Financed" and "Scheme wise Amount Financed" panels display loading spinners. The top navigation bar and footer are identical to the previous screenshot.




(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product master



(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product records with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. Two records are visible: one with Product Code 'APL' and Status 'Active', and another with Product Code 'HLL' and Status 'Active'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Product Master edit form. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user profile. Below the header is a 'Product Master' section with a back button and a 'Submit' button. The form contains several input fields: Product Group (Deposits), Product Code (depo15), Product Description (empty), Retail/Corporate (Retail), DM Code (depo15), Status (toggle switch), and Remarks (ok). There are also 'Cancel' and 'Save' buttons in the top right corner.

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Submit

Cancel

Product Master

Product Group \*

Deposits ▾

Product Description \*

desc11

DM Code

depo15

Remarks

ok

Product Code \*

depo15

Retail/Corporate \*

Retail ▾

Status

[illegible]

- ① Misc Config
- ① Other Masters
- ① Product Definitions
- ① Product Setup
- ① Asset Auto Master
- ① Asset CD Master
- ① **Product master**
- ① Sub Product Master
- ① Regulatory Product Defini...
- ① Project Setup
- ① Config Manager

- Product master
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)











(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

**AZENTIO™**

Product Master

Success

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
 	98303275	xy		R	Active
 	98303275	HFL	Housing Finance LTD	I	Active
 	98303249	LCCM	Letter of Credit		Active
 	98303275	APL	Personal Finance		Active
 	98303249	PMR	Standard home loan - kuls	R	Active

Showing 1 to 5 of 227 entries

1 2 3 4 5