Cucumber Report

| Start : Sep 30, 5:49:23.415 pm	End : Sep 30, 5:49:55.823 pm	Duration : 32.408 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 2

Features: 1

Scenarios: 1

Steps: 10

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 70 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Model Master	1	0	1	0	32.408 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset Model Master	verify user is able to add new Template details record in the system by entering invalid data	10	7	1	2	32.398 s

(F)- Check the functionality of Asset Model Master

FAILED	DURATION - 32.408 s	Scenarios		Steps	
/ 5:49:23.415 pm // 5:49:55.823 pm /		Total - 1		Total - 10	
		Pass - 0	1	Pass - 7	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- verify user is able to add new Template details record in the system by entering invalid data

FAILED	DURATION - 32.398 s		Steps	
/ 5:49:23.425 pm // 5:49:55.823 pm /			Total - 10	
Check the functionality of Asset Model Master			Pass - 7	10
@AT_AAM_T017			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	14.942 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.715 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.705 s
4	And user click on Asset Auto Master Edit icon	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.985 s
5	And user click on Temp view First Record Edit Icon	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.346 s
6	And user click on Asset Model Master Tab	PASSED	1.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.883 s
7	And user click on Asset Model Master Add icon	PASSED	0.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.937 s

#	Step / Hook Details	Status	Duration
8	And user Enter Characters value in Numeric Fields	FAILED	0.607 s

	java.lang.NullPointerException: Cannot invoke "String.isBlank()" because "Year" is null
	   at stepdefinitions.Asset_AutoMaster.user_enter_characters_value_in_numeric_fields(Asset_AutoMaster.java:76)
	   at ?.user Enter Characters value in Numeric Fields(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Asset_ModelMaster.feature:12)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
9	And user click on Asset Model Master Save button	SKIPPED	0.000 s
10	And user Validate the Message and verify it	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details record in the system by entering invalid data

(F) Check the functionality of Asset Model Master