

Cucumber Report

Jul 22, 2022, 10:46:31 PM

Start : Jul 22, 10:46:12.993 PM

End : Jul 22, 10:46:30.213 PM

Duration : 17.220 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 6


FAILED - 1

SKIPPED - 42







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	17.220 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	49	6	1	42	17.215 s


(F)- Product Master Retail Functionality


FAILED	DURATION - 17.220 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 49 Pass - 6 Fail - 1 Skip - 42	
/ 10:46:12.993 PM // 10:46:30.213 PM /					


(S)- verify Checker user is able to Approve the record

<div>FAILED</div> <div>DURATION - 17.215 s</div>		<div></div>	<div>Steps</div> <div>Total - 49</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 42</div>	<div></div>
/ 10:46:12.998 PM // 10:46:30.213 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.584 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then verify functionality and asterik mark of the field Product Code</p> <p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db89658cae0fc63e1fd54c8762a84adf, sendKeysToElement {id=83410506-12ce-4bf6-b07b-2527f30d2dbe, value=[Ljava.lang.CharSequence;@6c5ca0b6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63187}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63187/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (db89658cae0fc63e1fd54c8762a84adf)] -> xpath: //ion-row[1]/ion-col[3]/ion-item[1]/ion-input[1]/input] Session ID: db89658cae0fc63e1fd54c8762a84adf</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_and_asterik_mark_of_the_field_product_code(ProductMaster_Retail.java:77) at ?.verify functionality and asterik mark of the field Product Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/ AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:67) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.219 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	screenshot		
			
8	Then Enter Product Description	SKIPPED	0.000 s
9	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
10	Then verify the field Remarks	SKIPPED	0.001 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s
14	And open record for Approve	SKIPPED	0.000 s
15	Then submit the Record	SKIPPED	0.000 s
16	Then click on Product Master eye icon	SKIPPED	0.000 s
17	Then click on Product Master add button	SKIPPED	0.001 s
18	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
19	Then Enter Product Code for reject	SKIPPED	0.000 s
20	Then Enter Product Description	SKIPPED	0.000 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.000 s
24	Then validate Success pop up	SKIPPED	0.000 s
25	Then click on inbox	SKIPPED	0.000 s
26	And open record for Reject	SKIPPED	0.000 s
27	Then submit the Record	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on Product Master add button	SKIPPED	0.000 s
30	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
31	Then Enter Product Code for Return	SKIPPED	0.000 s
32	Then Enter Product Description	SKIPPED	0.000 s
33	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
34	Then verify the field Remarks	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
35	Then click on save button	SKIPPED	0.000 s
36	Then validate Success pop up	SKIPPED	0.000 s
37	Then click on inbox	SKIPPED	0.000 s
38	And open record for Return	SKIPPED	0.000 s
39	Then submit the Record	SKIPPED	0.000 s
40	Then Logout from Maker	SKIPPED	0.000 s
41	And User Login as Checker	SKIPPED	0.000 s
42	Then click on Menu	SKIPPED	0.000 s
43	Then click on inbox	SKIPPED	0.000 s
44	Then Open the record to approve it	SKIPPED	0.000 s
45	Then approve the record	SKIPPED	0.000 s
46	Then Open the record to reject it	SKIPPED	0.000 s
47	Then reject the record	SKIPPED	0.001 s
48	Then Open the record to return it	SKIPPED	0.000 s
49	Then return the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(F) Product Master Retail Functionality

Azentio™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 106 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	A	OK	R	Active
	98303249	HOMPUR 3	Housing Loan 3	R	Active
	98303275	8	ASDFG	R	Active
	98303249	HOMEXT	Housing Loan	R	Active
	98303275	ad01	ad011	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area has a top header with the same navigation and user profile. Below the header is a 'Product Master' section with a back button and a red notification icon. The form contains several fields: Product Group (dropdown menu open showing options: Deposits, Lending (selected), Trade, Treasury), Product Code (text input), Product Description (text input), Retail/Corporate (dropdown menu open showing 'Select'), and Remarks (text area). The form is titled 'Product Master' and has a red notification icon in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Product Master

Product Group *
Lending

Product Code *

Product Description *

Retail/Corporate *
Select

DM Code

Remarks

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager