
Duration: 11.721 s Start: Jul 21, 12:40:06.750 AM End: Jul 21, 12:40:18.471 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 1 SKIPPED - 0 SKIPPED - 0 SKIPPED - 7 9 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	11.721 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product	Product Master - Modify records (approve, reject and return)	9	1	1	7	11.716 s
	<u>master</u>	at checker stage					

DETAILED SECTION -- 4 --

(F)- Check the functionality of product master

FAILED	DURATION - 11.721 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 12:40:06.750	AM // 12:40:18.471 AM /	Pass - 0	1	Pass - 1	9 🗂
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Product Master - Modify records (approve, reject and return) at checker stage



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.995 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
	AZENTIO End-to-End Barnking Suite We see quarter of stress below, using the season of stress below, using the season of stress below, using the season of stress below to season of season of stress below to season of stress below to season of stress below to season of season of stress below to season of season o		
2	And User Login as checker	FAILED	0.050 s
	java.lang.NullPointerException: Cannot read field "CheckerUserName1" because "this.ulsUserLoginCredentials" is null at stepdefinitions.ProductMaster_Retail.user_login_as_checker(ProductMaster_Retail.java:222) at ?.User Login as checker(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:40) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	AZENTIO End-to-find Sanking Suite Find to-find Sanking Suite Find to the standard Sanking Sanking Sanking Suite Find to the standard S		
3	Then click on menu button	SKIPPED	0.000 s
4	Then click on inbox button	SKIPPED	0.000 s
5	Then select the modified record to approve	SKIPPED	0.000 s
6	Then click on approve button	SKIPPED	0.000 s
7	Then enter remark for approve	SKIPPED	0.000 s
8	Then click on approved button	SKIPPED	0.000 s
9	Then user verify that system should display confirmation message after approved	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **AZENTIO** User ID (S) Product Master - Modify records **End-to-End Banking Suite** (approve, reject and return) at checker Enabling banks to continually redefine themselves, catering to stage the entire spectrum of banking functions - lending, core CONTINUE banking, treasury, trade finance, anti-money laundering and integrated risk management. (F) Check the functionality of product master (Step) AFTER STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **AZENTIO** User ID

(S) Product Master - Modify records (approve, reject and return) at checker stage

(F) Check the functionality of product master

