


FEATURES SUMMARY -- 2 --




#	Feature Name	T	P	F	S	Duration
1	To verify under writer offset control module fields and creation and updation	1	0	1	0	55.943 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify under writer offset control	To verify user can able to create the under writer off set	18	17	1	0	55.934 s
	module fields and creation and updation	record					

**DETAILED SECTION** 

## (F)- To verify under writer offset control module fields and creation and updation



## (S)- To verify user can able to create the under writer off set record



#	Step / Hook Details	Status	Duration
1	Given Navigate to ULS application URL	PASSED	9.839 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.622 s
	screenshot		
	AZENTIO Military		
2	Then login with valid maker credentials	PASSED	10.682 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.664 s
	screenshot		
	AZENTO		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click on config Manager main module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.307  PASSED  0.385	ō s
4 And click on config Manager main module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.140	
4 And click on config Manager main module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.140  Output  Description:	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.563	
	) s
	3 s
screenshot	
5 And click on under writer off set control view button PASSED 0.378	3 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.539	) s
screenshot	
6 Then click on add button to create under writer off set record PASSED 0.510	 ) s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.785	 5 s
screenshot	
Acceptable of the first transfer to the first transfer transfer to the first transfer	
7 Then verify back button and save buttons are visible when user click on add button PASSED 0.338	 3 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.252	<u>2</u> s
screenshot	

8 Then verify minimum value input box should be mendatory and field should be text box  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And user can able to enter the minimum value input box  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.292 s  0.292 s  0.218 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And user can able to enter the minimum value input box  PASSED  0.218 s
Screenshot  9 And user can able to enter the minimum value input box  PASSED 0.146 s
9 And user can able to enter the minimum value input box  PASSED 0.146 s
·
AFTED STED, standafinitions HagksClass addSgreenshot(in quaumher inva Scanario)
AFTER_STEF - Stephelinilions. Hooks Class. add Screen Shot (io. cucumber. Java. Scenario)  PASSED  0.270 S
screenshot
A AMENTO
Then verify maximum value input box should be mendatory and field should be text box  PASSED 0.097 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s
screenshot
A ACCUTO   If No like the Part Land  If No l
11 And user can able to enter the maximum value input box PASSED 0.236 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.211 s

#	Step / Hook Details	Status	Duration
	ACCEPTO  # # # # # # # # # # # # # # # # # # #		
12	Then click on save button in under writer off set screen	PASSED	1.720 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
	ACCOUNTS  ACCOUN		
13	When click on mail box after saving the under writer record	PASSED	0.542 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		
	ACCOUNTS  OF THE PROPERTY OF T		
14	Then click on search button to search the under writer off set record	PASSED	0.969 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
	## ## ## ## ## ## ## ## ## ## ## ## ##		
15	And click on first under writer off set record	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# # 80 # 80 # 1		
16	And submit the under writer off set record	PASSED	1.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.800 s
	screenshot	1	
17	Then give alert remark and click on submit in alert	PASSED	0.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
	screenshot		
	CALCULATION OF THE ANALYSIS OF		
18	Then store the checker id	FAILED	5.366 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@id='toast-container']//div[@role='alert']' (tried for 5 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_UnderWriterOffSetControl.store_the_checker_id(ULS_UnderWriterOffSetControl.java:230) at ?.store the checker id(file:///C:/Users/inindc00076/git/Azentio_ULSAnandh/AzentioULSFramework_Anandh/src/test/java/features/ ULS_UnderWriterOffSetControl.feature:24) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  '["method":"xpath","selector":"//div[@id='toast-container']//div[@role='alert']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host:  'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [79fb0a1de173df31973a2cce87142deb, findElement {using=xpath, value=//div[@id='toast-container']//div[@role='alert']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\NINDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60523}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy; Proxy(), se:cdp: ws://localhost:60523/devtoo, se:cdp!version: 99.0.4844.82, setWindowRect:		


#	Step / Hook Details	Status	Duration
	true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		
	79fb0a1de173df31973a2cce87142deb		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.ULS_UnderWriterOffSetControl.store_the_checker_id(ULS_UnderWriterOffSetControl.java:230)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		


DETAILED SECTION -- 10 --


Step / Hook Details	Status	Duration
at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
at org.testng.TestRunner.privateRun(TestRunner.java:794)		
at org.testng.TestRunner.run(TestRunner.java:596)		
at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
at org.testng.TestNG.runSuites(TestNG.java:1063)		
at org.testng.TestNG.run(TestNG.java:1031)		
at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
* Not displayable characters are replaced by '?'.		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
screenshot		

DETAILED SECTION -- 11 --


#	Step / Hook Details	Status	Duration
	*** CAPTO***  ********************************		









EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

