Cucumber Report

| Start : Aug 24, 2:55:55.482 pm	End : Aug 24, 2:56:51.269 pm	Duration : 55.787 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 17 FAILED - 1 SKIPPED - 0
1	1	18
0 %	0 %	94 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	55.787 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expense Parameter record with valid data	18	17	1	0	55.779 s

## (F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 55.787 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 2:55:55.482 pm // 2:56:51.269 pm /		Pass - 0	1	Pass - 17	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expense Parameter record with valid data

FAILED	DURATION - 55.779 s		Steps	
			Total - 18	
/ 2:55:55.490 pm // 2:56:51.269 pm /			Pass - 17	18
Check the functionality of Living Expenses Master			Fail - 1	
@AT_LE_013_Parameter_Creation			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	20.995 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.738 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click on Other Masters Tab	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
4	And user click on List view Icon of Living Expenses	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.594 s
	screenshot		
5	And user click on Add Icon for Living Expenses	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.609 s
	screenshot		
6	And user Enter value in Description and verify it	PASSED	0.417 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user Enter value in Description2 and verify it	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
8	And user Enter value in Description3 and verify it	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
9	And user select Rule value and verify it	PASSED	0.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
10	And user choose Calender Effective Date and verify it	PASSED	1.442 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And user save the Record in Living Expenses	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
12	And user Goto the Temp view screen of living Expense	PASSED	0.384 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.683 s
	screenshot		
13	And user click on First record in living Expense	PASSED	0.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	screenshot		
14	And user click on Living Expenses Parameter	PASSED	0.700 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And user click on Add Icon for Living Expenses	PASSED	2.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot 		
16	And user Enter value in Description and verify it	PASSED	0.459 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot 		
17	And user select the code value	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.859 s
	screenshot 		
18	And user Enter the value	FAILED	1.157 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input class="native-input sc-ion-input-ios" aria-labelledby="ion-input-6-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" name="ion-input-6" placeholder="" spellcheck="false" type="text"> is not clickable at point (1227, 298). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20005; --width:368px;">...</ion-popover> (Session info: chrome=104.0.5112.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info:		

#	Step / Hook Details	Status	Duration

	host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [283ed4d77801910ee9d9df3d5335b895, clickElement {id=1d79e643-6c38-42e0-ae91-de4a8e55396d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.82, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58552}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58552/devtoo..., se:cdpVersion: 104.0.5112.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (283ed4d77801910ee9d9df3d5335b895)] -> xpath: //ion-label[text()=' Value ']/parent::ion-item//input[1]] Session ID: 283ed4d77801910ee9d9df3d5335b895
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.LivingExpense_Master.user_enter_the_value(LivingExpense_Master.java:443)
	    at ?.user Enter the value(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/LivingExp_Master.feature:285)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.173 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

List of Living Expense Model

Action	Description ↑↓	Rule ID ↑↓	Effective Date ↑↓	Status ↑↓
✏ 👁	Expenses	98303254	2023-08-03	Active
✏ 👁	Living	98303254	2023-08-03	Active
✏ 👁	Desc1	98303254	2023-08-03	Active
✏ 👁	Desc1	98303254	2023-08-03	Active
✏ 👁	Approved lst check21	98303256	2022-06-23	Active

Showing 1 to 5 of 19 entries   « ‹ 1 2 3 4 › »   5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

Living Expense Definition

Living Expense Definition

Description *
Expenses

Description2 *

Description3 *

Rule
Select

Effective Date *

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense Parameter record with valid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense Parameter record with valid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense Parameter record with valid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expense Parameter record with valid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

AZENTIO
ONEBanking

Living Expense Definition

Living Expense Definition

Description *
Expenses

Description2 *
ExpensesExp

Description3 *
ExpensesLivingExpenses

Rule
Rule1

Effective Date *
03-Aug-2023

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

AZENTIO
ONEBanking

success

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

Living Expense Definition

| Living Expense Definition | Living Expense Parameter | Living Expense Location |

Living Expense Definition

Description *
Expenses

Description2 *
ExpensesExp

Description3 *
ExpensesLivingExpenses

Rule
Rule1

Effective Date *

Status

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expense Parameter record with valid data

(F) Check the functionality of Living Expenses Master