Cucumber Report

| Start : Oct 26, 2:59:18.546 pm	End : Oct 26, 3:00:07.845 pm	Duration : 49.299 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 15 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	1	1	0	0	49.299 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	User verify system allow user to modify the Allocation Master	15	15	0	0	49.293 s

(F)- Check the functionality of the Allocation Masater

| PASSED	DURATION - 49.299 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 2:59:18.546 pm // 3:00:07.845 pm /		Pass - 1	1	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- User verify system allow user to modify the Allocation Master

PASSED	DURATION - 49.293 s		Steps	
/ 2:59:18.552 pm // 3:00:07.845 pm /			Total - 15	
Check the functionality of the Allocation Masater			Pass - 15	15
@AT_ALM_007			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	15.463 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.390 s
4	And User click Approved list icon for Allocation Master	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.609 s
5	And User click First Edit icon in Approved list view for Allocation Master	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.540 s
6	And User click back button in Alloction master screen	PASSED	0.611 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.347 s
7	And User click First Edit icon in Approved list view for Allocation Master	PASSED	0.656 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.947 s

#	Step / Hook Details	Status	Duration
8	And User click and update Description	PASSED	1.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
9	And User click and update Allocation Code	PASSED	0.500 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
10	And User click Save button for Allocation master updation	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		
11	And user click inbox to approve record for Allocation master	PASSED	5.583 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And user search Allocation Master	PASSED	0.671 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
13	And user store reference number and click the first record in Allocation master inbox view	PASSED	1.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.075 s
	screenshot		
14	And user submit Allocation master record in maker	PASSED	2.637 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.431 s
	screenshot		
15	And user capture checker id for checker submit	PASSED	3.775 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User verify system allow user to
modify the Allocation Master

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User verify system allow user to
modify the Allocation Master

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User verify system allow user to
modify the Allocation Master

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User verify system allow user to
modify the Allocation Master

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User verify system allow user to modify the Allocation Master

(F) Check the functionality of the Allocation Masater