
**Duration: 1 m 5.004 s** Start: Oct 27, 12:39:23.551 pm End: Oct 27, 12:40:28.555 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 16 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass / 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 56 % 100 100

FEATURES SUMMARY -- 2 --



| # | Feature Name   | T | P | F | S | Duration    |
|---|--|---|---|---|---|-------------|
| 1 | Verify the functionalities of Collateral subtype master Module | 1 | 0 | 1 | 0 | 1 m 5.004 s |




| # | Feature Name                             | Scenario Name  | T  | P | F | S | Duration    |
|---|--|--|----|---|---|---|-------------|
| 1 | Verify the functionalities of Collateral | Validate the user can able to update collateral sub type | 16 | 9 | 1 | 6 | 1 m 4.999 s |
|   | subtype master Module                    | record   |    |   |   |   |             |

DETAILED SECTION

## (F)- Verify the functionalities of Collateral subtype master Module

| FAILED         | DURATION - 1 m 5.004 s  | Scenarios |   | Steps      |    |
|----------------|-------------------------|-----------|---|------------|----|
|                |                         | Total - 1 |   | Total - 16 |    |
| / 12:39:23.551 | pm // 12:40:28.555 pm / | Pass - 0  | 1 | Pass - 9   | 16 |
|                |                         | Fail - 1  |   | Fail - 1   |    |
|                |                         | Skip - 0  |   | Skip - 6   |    |

## (S)- Validate the user can able to update collateral sub type record



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Launch the kuls application and Navigate to collateral subtype module view list | PASSED | 16.434 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)      | PASSED | 0.571 s  |
|   | screenshot  |        |          |
|   | - AZENTO  |        |          |
| 2 | And Coloct the evicting record in colleteral cub time                                 | DACCED | 0.005.0  |
| 2 | And Select the existing record in collateral sub type                                 | PASSED | 0.685 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)      | PASSED | 0.745 s  |
|   | screenshot  |        |          |
|   | A CENTO   |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 3 | And Update test data for collateral sub type update  | PASSED | 1.940 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.310 s  |
|   | CONTRACTOR OF THE PROPERTY OF  |        |          |
| 4 | And Update the value in Description field of collateral sub type   | PASSED | 0.444 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.227 s  |
|   | screenshot   |        |          |
|   | ### CONTROL OF THE PROPERTY OF |        |          |
| 5 | And Update the value in Asset_CollateralSubtypeCode field for checker reject   | PASSED | 0.299 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.195 s  |
|   | screenshot   |        |          |
|   | ASSETTO  # # 100 100 100 10 10 10 10 10 10 10 10 10  |        |          |
| 6 | And Update the value in Asset_CollateralType field   | PASSED | 0.680 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.432 s  |
|   | screenshot   |        |          |
|   | Company   Comp   |        |          |
| 7 | And Update the value in Exposure field   | PASSED | 0.322 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.241 s  |
|   | screenshot   |        |          |
|   |  |        |          |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | ASENTO  U W MAN  |        |          |
| 8  | And Update the value in Asset_CollateralValuationTolerance field   | PASSED | 0.290 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.245 s  |
|    | South Name of the Control of the Con |        |          |
| 9  | And Update the value in Remarks field of collateral sub type   | PASSED | 0.332 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot   | PASSED | 0.223 s  |
| 10 | Then Click on Save button in collateral subtype  | FAILED | 30.522 s |
|    | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//div[@role='alert'])[2]' (tried for 30 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CollateralSubType_Step.click_on_save_button_in_collateral_subtype(KULS_CollateralSubType_Step.java:61) at ?.Click on Save button in collateral subtype(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CollateralSubTypeMasterFeature.feature:192) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  {"method":"xpath", "selector":"(//div[@role='alert'])[2]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host:  'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.CchromeDriver Command: [9b8dd0827db90c8c6a5bb953dff5430a, findElement {using=xpath, value=(//div[@role='alert'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:59506}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59506/devtoo, se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts:  |        |          |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, |        |          |
|   | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9b8dd0827db90c8c6a5bb953dff5430a          |        |          |
|   | at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)      |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)                     |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)                              |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)                               |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)                       |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)                             |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)                           |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)   |        |          |
|   | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)                     |        |          |
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)               |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)  |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)                              |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)                                    |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)                                     |        |          |
|   | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)                                     |        |          |
|   | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   |        |          |
|   | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  |        |          |
|   | at stepdefinitions.KULS_CollateralSubType_Step.click_on_save_button_in_collateral_subtype(KULS_CollateralSubType_Step.java:61)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)                             |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)                     |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)   |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  |        |          |
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)                                 |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)   |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:64)   |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:104)  |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)   |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)            |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)         |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)                       |        |          |
|   | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)          |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)                           |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)         |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|   | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)                 |        |          |
|   | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)                                       |        |          |
|   | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)                                   |        |          |
|   | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)                                     |        |          |
|   | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)                      |        |          |
|   | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)                                  |        |          |
|   | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)                        |        |          |
|   | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)                                      |        |          |
|   | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)   |        |          |
|   | at org.testng.TestRunner.privateRun(TestRunner.java:794)  |        |          |
|   | at org.testng.TestRunner.run(TestRunner.java:596)   |        |          |
|   | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)   |        |          |
|   | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)   |        |          |
|   | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)  |        |          |
|   | at org.testng.SuiteRunner.run(SuiteRunner.java:276)   |        |          |
|   | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)   |        |          |
|   | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)  |        |          |
|   | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)  |        |          |
|   | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)   |        |          |
|   | at org.testng.TestNG.runSuites(TestNG.java:1063)  |        |          |
|   | at org.testng.TestNG.run(TestNG.java:1031)  |        |          |
|   | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)                                |        |          |
|   | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)   |        |          |
|   | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)  |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                            | PASSED | 0.250 s  |
|   | screenshot  |        |          |
|   | A ZENTO   |        |          |
|   |   |        |          |


DETAILED SECTION -- 9 --

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
| 11 | And Click on Mail icon for collateral sub type                              | SKIPPED | 0.000 s  |
| 12 | And Search the collateral sub type record                                   | SKIPPED | 0.000 s  |
| 13 | And Store the reference number and click on first collateral subtype record | SKIPPED | 0.001 s  |
| 14 | And Validate the record in mail box with updated record for checker reject  | SKIPPED | 0.001 s  |
| 15 | Then Submit the collateral sub type record from maker user                  | SKIPPED | 0.000 s  |
| 16 | And User Capture Checker id from the submit popup                           | SKIPPED | 0.001 s  |


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

