


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Document Details screen	1	0	1	0	22.644 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify system should allow user to do a modification with	14	8	1	5	22.637 s
	Document Details screen	valid data					

DETAILED SECTION

(F)- Check the functionality of Customer Document Details screen

FAILED	DURATION - 22.644 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 5:09:15.428	PM // 5:09:38.072 PM /	Pass - 0	1	Pass - 8	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Verify system should allow user to do a modification with valid data





#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.638 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
	AZENTIO CORRE		
2	And User Login as maker	PASSED	3.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	A ZENTO O O O O O O O O O O O O O O O O O O		

AFTER_STEP - stepdefinitions HooksClass addScreenshot(io.cucumber java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions HooksClass addScreenshot(io.cucumber java.Scenario) PASSED 0.240 s	#	Step / Hook Details	Status	Duration
screenshot Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.885 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.240 s	3	Then user should click on the menu toggle in login page	PASSED	0.795 s
Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.085 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.153 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.240 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
4 Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s		ACTION OF DEPTH AND ACTION		
screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.085 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s	4	Then click on inbox to search for the Customer Document Details record	PASSED	0.327 s
5 Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.085 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.240 s PASSED O.240 s PASSED O.218 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s PASSED 0.240 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s				
Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.085 s 0.153 s PASSED 0.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s	5	Then click on search button to search the record of Customer Document Details in inbox	PASSED	0.155 s
Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.085 s 0.153 s PASSED 0.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.085 s 0.153 s 0.153 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s 0.240 s PASSED 0.240 s 0.218 s		ABSINO BY		
7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s 0.218 s	6	Then enter the reference id of the Customer Document Details record	PASSED	0.085 s
7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s 0.218 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
7 Then click on the entitle button of the Customer Document Details record of that reference id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s 0.218 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s		A C C C C C C C C C C C C C C C C C C C		
	7	Then click on the entitle button of the Customer Document Details record of that reference id	PASSED	0.240 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
		screenshot		


#	Step / Hook Details	Status	Duration
	A CANATO So O D S SO O CO O CO O CO O CO O CO O CO		
8	Then click on the Document Details tab	PASSED	0.626 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.992 s
	screenshot		
	ARTHOUGH BOOK OF THE CONTRACT		
9	Then open the record of Customer Document Details to modify	FAILED	3.806 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a button"="" class="p-element p-button-imp-button-info p-button-raised p-button p-component p-button-icon-only ng-reflect-icon=" href="https://en.button_mg.ordent-button_ng.ordent-button_ng.ordent-button-raised p-button tooltipposition=" icon="pi pi-pencil" ng-reflect-ok-text="Cdit" ng-reflect-tooltip-position="top" pbutton-imp="" pi="" pi-pencil"="" pripe="mt pype=" top"="">https://en.preflect-icon="pi pi-pencil" ng-reflect-tooltip-position="top" ng-reflect-ok-text="Cdit">https://en.preflect-icon="pi-pi-pencil" ng-reflect-tooltip-position="top" ng-reflect-ok-text="Cdit">https://en.preflect-icon="pi-pi-pencil" ng-reflect-ok-text="Cdit">https://en.preflect-icon="pi-pi-pi-pencil" ng-reflect-icon="pi-pi-pi-mi-pencil" ng-reflect-ok-text="Ok" ng-reflect-ok-text="Ok" ng-reflect-caccel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-icon="pop-pi-pi-pi-mi-pencil" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-multiple="false" ng-reflect-cdisabled="false" ng-reflect-disabled="false" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-multiple="false" ng-reflect-cdisabled="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-disabled="false" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.CustomerDocumentDetails.open_the_record_of_Customer_Document_Details_to_modify(CustomerDocumentDetails. java:100) at ?.open the record of Customer Document Details to modify(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerDocumentDetails.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	Screenshot The state of the s		
10	Then verify system should allow user to do a modification of Customer Document Details record before approved	SKIPPED	0.000 s
11	Then verify system should allow user to do a modification with valid data	SKIPPED	0.001 s
12	Then verify system display the confirmation message post clicking on save button of Customer Employment Details record	SKIPPED	0.000 s
13	And verify the same record of Customer Document Details should get saved in a system	SKIPPED	0.001 s
14	Then verify the functionality of Back button of Customer Document Details record	SKIPPED	0.000 s






EXPANDED SECTION



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

