

Cucumber Report

Jul 22, 2022, 10:39:20 PM

Start : Jul 22, 10:38:43.195 PM

End : Jul 22, 10:39:19.815 PM

Duration : 36.620 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 18
FAILED - 1
SKIPPED - 30







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	36.620 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	49	18	1	30	36.617 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 36.620 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 49 Pass - 18 Fail - 1 Skip - 30	
/ 10:38:43.195 PM // 10:39:19.815 PM /					




(S)- verify Checker user is able to Approve the record





<div>FAILED</div> <div>DURATION - 36.617 s</div>		<div></div>	<div>Steps</div> <div>Total - 49</div> <div>Pass - 18</div> <div>Fail - 1</div> <div>Skip - 30</div>	<div></div>
<div>/ 10:38:43.198 PM // 10:39:19.815 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_Approve_Reject_Return</div>				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.979 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.545 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
			
12	Then validate Success pop up	PASSED	5.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			
13	Then click on inbox	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
			
14	And open record for Approve	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then submit the Record	PASSED	7.603 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
			
16	Then click on Product Master eye icon	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
			
17	Then click on Product Master add button	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
			
18	Then verify functionality and asterik mark of the field Product Group	PASSED	1.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	<p>Then Enter Product Code for reject</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [779e9ddee12a395839d25860222fc765, sendKeysToElement {id=95a027bf-8462-4b2b-9f3d-2064b679919b, value=[Ljava.lang.CharSequence;@32b112a1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62890}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62890/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (779e9ddee12a395839d25860222fc765)] -> xpath: //ion-row[1]/ion-col[3]//ion-item[1]/ion-input[1]/input] Session ID: 779e9ddee12a395839d25860222fc765 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.enter_product_code_for_reject(ProductMaster_Retail.java:88) at ?.Enter Product Code for reject(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:81) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.165 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
20	Then Enter Product Description	SKIPPED	0.000 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.000 s
24	Then validate Success pop up	SKIPPED	0.000 s
25	Then click on inbox	SKIPPED	0.001 s
26	And open record for Reject	SKIPPED	0.000 s
27	Then submit the Record	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on Product Master add button	SKIPPED	0.000 s
30	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
31	Then Enter Product Code for Return	SKIPPED	0.000 s
32	Then Enter Product Description	SKIPPED	0.000 s
33	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
34	Then verify the field Remarks	SKIPPED	0.000 s
35	Then click on save button	SKIPPED	0.000 s
36	Then validate Success pop up	SKIPPED	0.000 s
37	Then click on inbox	SKIPPED	0.000 s
38	And open record for Return	SKIPPED	0.000 s
39	Then submit the Record	SKIPPED	0.000 s
40	Then Logout from Maker	SKIPPED	0.000 s
41	And User Login as Checker	SKIPPED	0.000 s
42	Then click on Menu	SKIPPED	0.000 s
43	Then click on inbox	SKIPPED	0.000 s
44	Then Open the record to approve it	SKIPPED	0.000 s
45	Then approve the record	SKIPPED	0.000 s
46	Then Open the record to reject it	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
47	Then reject the record	SKIPPED	0.000 s
48	Then Open the record to return it	SKIPPED	0.000 s
49	Then return the record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), location (LOS), software (Azentio Software), and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, a pagination bar shows 'Showing 1 to 5 of 106 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	A	OK	R	Active
	98303249	HOMPUR 3	Housing Loan 3	R	Active
	98303275	8	ASDFG	R	Active
	98303249	HOMEXT	Housing Loan	R	Active
	98303275	ad01	ad011	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is a 'Product Master' section with a back button and a red notification icon. The form contains several fields: 'Product Group' (dropdown menu showing 'Lending'), 'Product Code' (text input), 'Product Description' (dropdown menu showing 'Select'), and 'Retail/Corporate' (dropdown menu showing 'Select'). A 'DM Code' dropdown menu is also visible, showing options like 'Deposits', 'Lending' (selected), 'Trade', and 'Treasury'. A 'Remarks' text area is at the bottom.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'A', 'Product Description' with a text input field containing 'OK', 'Retail/Corporate' with a dropdown menu showing 'Select', 'DM Code' with a text input field, and 'Remarks' with a large text area. The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'A', 'Product Description' with a text input field containing 'OK', 'Retail/Corporate' with a dropdown menu showing 'Select', 'DM Code' with a text input field, and 'Remarks' with a large text area. The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area is titled 'Product Master' and contains the following fields: Product Group (Lending), Product Code (A), Product Description (OK), Retail/Corporate (Retail), DM Code, and Remarks. The 'Retail/Corporate' dropdown menu is open, showing the options: Select, Corporate, and Retail (which is selected with a checkmark).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area is titled 'Product Master' and contains the following fields: Product Group (Lending), Product Code (A), Product Description (OK), Retail/Corporate (Retail), DM Code, and Remarks. The 'Remarks' field contains the text 'HomeLoan'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Product Group *
Lending

Product Code *
A

Product Description *
OK

Retail/Corporate *
Retail

DM Code

Remarks
HomeLoan

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Showing 1 to 5 of 142 entries

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A	OK	R	Active	
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303275	8	ASDFG	R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the Azentio logo at the top. Below the logo are several menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Inbox' and shows 'Action' with a search bar and a pagination control indicating 'Showing 0 to 0 of 0 entries'. The top navigation bar includes a mail icon, language dropdown (English), LOS dropdown, Azentio Software dropdown, a grid icon, a bell icon, a user profile for Puneet (01-Sep-2023), and a search icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface, similar to the one above, but with the 'Inbox' section showing a table of records. The table has the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The first row is highlighted in orange. A sidebar on the left shows the same menu items as the first screenshot, with 'Product master' highlighted. The top navigation bar is identical to the first screenshot.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5690	PRODUCT_MST	MAKER	LOSMKR	in00135	22-Jul-2022 22:38	TSW	
	74	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 20:16	TSW	
	73	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 19:56	TSW	
	81	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 19:8	TSW	
	78	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:43	TSW	
	75	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:19	TSW	
	74	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:2	TSW	
	72	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 17:28	TSW	
	72	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:15	TSW	
	69	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:2	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the 'AZENTIO' logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Inbox' and contains a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table lists 12 records, each with an 'Action' icon (a red square with a white 'X') and a 'Product' value of 'TSW'. The records are sorted by 'Created Date' in descending order. At the top right of the interface, there is a user profile section for 'Puneet' with the date '01-Sep-2023' and a search icon.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	74	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 20:16	TSW	TSW
	73	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 19:56	TSW	TSW
	81	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 19:8	TSW	TSW
	78	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:43	TSW	TSW
	75	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:19	TSW	TSW
	74	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:2	TSW	TSW
	72	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 17:28	TSW	TSW
	72	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:15	TSW	TSW
	69	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:2	TSW	TSW
	19	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 16:30	TSW	TSW

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the 'AZENTIO' logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with the following columns: Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table lists 12 records, each with a 'Reference Id' and a 'Product' value of 'TSW'. The records are sorted by 'Created Date' in descending order. At the top right of the interface, there is a user profile section for 'Puneet' with the date '01-Sep-2023' and a search icon.

Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
74	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 20:16	TSW	TSW
73	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 19:56	TSW	TSW
81	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 19:8	TSW	TSW
78	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:43	TSW	TSW
75	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:19	TSW	TSW
74	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:2	TSW	TSW
72	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 17:28	TSW	TSW
72	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:15	TSW	TSW
69	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:2	TSW	TSW
19	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 16:30	TSW	TSW

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has a header 'Product Master' with a back arrow and a save icon. Below the header is a section titled 'Product Master' with the following fields: Product Group (dropdown menu with 'Select' selected), Product Code (text input), Product Description (text input), Retail/Corporate (dropdown menu with 'Select' selected), DM Code (text input), and Remarks (text area). The top navigation bar includes a hamburger menu, a mail icon, language selection (English), LOS selection, Azentio Software, a grid icon, a notification bell, a user profile icon for 'Puneet' with the date '01-Sep-2023', and a help icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

This screenshot shows the same Azentio Product Master form as the previous one, but with a dropdown menu open for the 'Product Description' field. The dropdown menu lists the following options: Select, Deposits, Lending (which is highlighted with a blue checkmark), Trade, and Treasury. The rest of the form and the navigation bar are identical to the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Product Group *
Lending

Product Code *

Product Description *

Retail/Corporate *
Select

DM Code

Remarks