

# Cucumber Report

Sep 22, 2022, 1:00:14 PM

Start : Sep 22, 1:00:07.927 PM

End : Sep 22, 1:00:12.618 PM

Duration : 4.691 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	4.691 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	Verify the buttons are available on screen while modify the Customer Address Information	12	0	1	11	4.674 s

**(F)- Check the functionality of Customer Address Details screen**

<b>FAILED</b>	<b>DURATION - 4.691 s</b>	Scenarios		Steps	
/ 1:00:07.927 PM // 1:00:12.618 PM /		Total - 1		Total - 12	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

**(S)- Verify the buttons are available on screen while modify the Customer Address Information**

<div>FAILED</div> <div>DURATION - 4.674 s</div>			Steps		
/ 1:00:07.944 PM // 1:00:12.618 PM /			Total - 12		
Check the functionality of Customer Address Details screen			Pass - 0		
@AT_CAD_005			Fail - 1		
			Skip - 11		

#	Step / Hook Details	Status	Duration
1	<p>Given User launch the kuls application</p> <pre> java.lang.RuntimeException: Json file not found at path : src/main/java/jsonData/PersonalDetailsAppDataEntry.json     at dataProvider.JsonConfig.getPerDetailEntry(JsonConfig.java:541)     at dataProvider.JsonConfig.&lt;init&gt;(JsonConfig.java:61)     at stepdefinitions.KULS_Login.&lt;init&gt;(KULS_Login.java:18)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) </pre>	<b>FAILED</b>	0.025 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
	+		
2	And User Login as maker	SKIPPED	0.000 s
3	Then user should click on the menu toggle	SKIPPED	0.001 s
4	Then click on inbox to search for the Customer Address Details record	SKIPPED	0.000 s
5	Then click on search button to search the record of Customer Address Details	SKIPPED	0.001 s
6	Then enter the reference id of the Customer Address Details record	SKIPPED	0.000 s
7	Then click on the entitle button of the Customer Address Details record of that reference id	SKIPPED	0.000 s
8	Then click on the Additional customer info tab in Customer Personal Information screen	SKIPPED	0.000 s
9	Then select the Customer Address details record from the customer personal detail screen	SKIPPED	0.001 s
10	Then select the record of Address details from the customer identification screen	SKIPPED	0.000 s
11	Then verify Customer Address details screen should get open with mentioned Fields	SKIPPED	0.000 s
12	Then verify the functionality of Back button of customer address details screen	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify the buttons are available on  
screen while modify the Customer  
Address Information

(F) Check the functionality of Customer  
Address Details screen