

# Cucumber Report

Jul 25, 2022, 8:02:38 PM

Start : Jul 25, 8:02:07.695 PM

End : Jul 25, 8:02:37.599 PM

Duration : 29.904 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 12  
FAILED - 1  
SKIPPED - 16







| # | Feature Name                                     | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Check the functionality of product master</u> | 1 | 0 | 1 | 0 | 29.904 s |






| # | Feature Name                                     | Scenario Name  | T  | P  | F | S  | Duration |
|---|--|--|----|----|---|----|----------|
| 1 | <u>Check the functionality of product master</u> | <u>Product Master - Modify records (approve, reject and return) at maker stage</u> | 29 | 12 | 1 | 16 | 29.899 s |




**(F)- Check the functionality of product master**

|                                      |                            |  |   |   |   |
|--------------------------------------|----------------------------|--|---|---|---|
| <b>FAILED</b>                        | <b>DURATION - 29.904 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 29<br>Pass - 12<br>Fail - 1<br>Skip - 16 |  |
| / 8:02:07.695 PM // 8:02:37.599 PM / |                            |  |   |   |   |




**(S)- Product Master - Modify records (approve, reject and return) at maker stage**


|  |  |   |  |  |
|--|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 29.899 s</div>     |  | <div></div> | <div>Steps</div> <div>Total - 29</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 16</div> | <div></div> |
| <div>/ 8:02:07.700 PM // 8:02:37.599 PM /</div>      |  |   |  |  |
| <div>Check the functionality of product master</div> |  |   |  |  |
| <div>@M5 @ProductMaster</div>                        |  |   |  |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application  | PASSED | 6.577 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.400 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And User Login as maker   | PASSED | 5.238 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.224 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |    |        |          |
| 3 | Then user should navigate to product master   | PASSED | 0.359 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.288 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 4 | And click on edit view of product master  | PASSED | 0.418 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.282 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 5 | Then click on edit button of record to modify                                       | PASSED | 2.753 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.393 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 6 | Then user should verify the buttons available on screen while modify                | PASSED | 1.425 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.146 s  |
|   | screenshot  |        |          |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    |    |        |          |
| 7  | Then verify system should modify the record before approved                         | PASSED | 1.549 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.200 s  |
|    | screenshot  |        |          |
|    |    |        |          |
| 8  | And click on eye icon of product master   | PASSED | 0.147 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.341 s  |
|    | screenshot  |        |          |
|    |    |        |          |
| 9  | Then verify system should modify already approved record                            | PASSED | 2.564 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.207 s  |
|    | screenshot  |        |          |
|    |  |        |          |
| 10 | Then verify system allow user to save modified record with valid data               | PASSED | 0.161 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.196 s  |
|    | screenshot  |        |          |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    |   |        |          |
| 11 | Then system should display the confirmation message  | PASSED | 0.194 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.208 s  |
|    | screenshot   |        |          |
|    |   |        |          |
| 12 | Then click on inbox button   | PASSED | 0.217 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.269 s  |
|    | screenshot   |        |          |
|    |   |        |          |
| 13 | And select the modified record from inbox to approve   | FAILED | 0.021 s  |
|    | <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'5762')]/../td/button"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cc99c776620898b98556775760c6088b, findElement {using=xpath, value=//span[contains(text(),'5762')]/../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\googchromeOptions: {debuggerAddress: localhost:57340}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57340/devtoo..., se.cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cc99c776620898b98556775760c6088b</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.select_the_modified_record_from_inbox_to_approve(ProductMaster_Retail.java:166) at ?.select the modified record from inbox to approve(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:17) * Not displayable characters are replaced by '?'. </pre> |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.211 s  |
|    | <p>screenshot</p>   |         |          |
| 14 | Then click on submit button  | SKIPPED | 0.001 s  |
| 15 | Then system should display confirmation message after submit   | SKIPPED | 0.000 s  |
| 16 | And click on edit view of product master   | SKIPPED | 0.000 s  |
| 17 | Then click on edit button of record2 to modify   | SKIPPED | 0.000 s  |
| 18 | Then verify system should modify the record before approved  | SKIPPED | 0.000 s  |
| 19 | Then click on inbox button   | SKIPPED | 0.000 s  |
| 20 | And select the modified record from inbox to reject  | SKIPPED | 0.000 s  |
| 21 | Then click on submit button  | SKIPPED | 0.000 s  |
| 22 | Then system should display confirmation message after submit   | SKIPPED | 0.000 s  |
| 23 | And click on edit view of product master   | SKIPPED | 0.000 s  |
| 24 | Then click on edit button of record3 to modify   | SKIPPED | 0.000 s  |
| 25 | Then verify system should modify the record before approved  | SKIPPED | 0.001 s  |
| 26 | Then click on inbox button   | SKIPPED | 0.000 s  |
| 27 | And select the modified record from inbox to return  | SKIPPED | 0.000 s  |
| 28 | Then click on submit button  | SKIPPED | 0.000 s  |




| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 29 | Then system should display confirmation message after submit | SKIPPED | 0.000 s  |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Product Master interface. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area displays a table of product records with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table shows five records, all with a status of 'Active'. The bottom of the table indicates 'Showing 71 to 75 of 168 entries' and includes pagination controls.

| Action      | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|-------------|---------------|--------------|---------------------|------------------|--------|----------------------|
| [Edit][Eye] | 98303275      | depo30       | desc11              | R                | Active |                      |
| [Edit][Eye] | 98303249      | 122          |                     | C                | Active |                      |
| [Edit][Eye] | 98303249      | dd           |                     | R                | Active |                      |
| [Edit][Eye] | 98303249      | A            |                     | R                | Active |                      |
| [Edit][Eye] | 98303249      | LML          |                     | R                | Active | MAKER                |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Product Master interface in edit mode. The left sidebar is the same as the previous screenshot. The main area displays a form with fields for Product Group (Deposits), Product Code (depo30), Product Description (desc11), Retail/Corporate (Retail), DM Code (depo30), Status (toggle), and Remarks (depo30). The form has a Submit button and a Cancel button. The top right corner shows the user profile (Puneet, 01-Sep-2023) and a notification icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Product Master interface. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five entries, all with 'Active' status. A green success message 'Success' is visible in the top right corner. The bottom of the table shows pagination: 'Showing 1 to 5 of 168 entries' and a page selector with '1' highlighted.

| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|--------|---------------|--------------|---------------------|------------------|--------|----------------------|
|        | 98303249      | PR11         | Loan                | R                | Active | CHECKER              |
|        | 98303249      | PR12         | Loan                | R                | Active |                      |
|        | 98303249      | PR10         | Loan                | R                | Active | CHECKER              |
|        | 98303275      | dop3         | dop3                | R                | Active |                      |
|        | 98303275      | dop2         | dop2                | R                | Active |                      |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master


The screenshot shows the Azentio Product Master interface. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five entries, all with 'Active' status. A green success message 'Success' is visible in the top right corner. The bottom of the table shows pagination: 'Showing 1 to 5 of 168 entries' and a page selector with '1' highlighted.

| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|--------|---------------|--------------|---------------------|------------------|--------|----------------------|
|        | 98303249      | PR11         | Loan                | R                | Active | CHECKER              |
|        | 98303249      | PR12         | Loan                | R                | Active |                      |
|        | 98303249      | PR10         | Loan                | R                | Active | CHECKER              |
|        | 98303275      | dop3         | dop3                | R                | Active |                      |
|        | 98303275      | dop2         | dop2                | R                | Active |                      |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master



Product Master

Product Group \* Deposits

Product Code \* dep555

Product Description \* desc11

Retail/Corporate \* Retail

DM Code dep555


Status ☒

Remarks dep555

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master



Product Master

Product Group \* Deposits

Product Code \* dep555

Product Description \* desc11

Retail/Corporate \* Retail

DM Code dep555

Status ☒


Remarks dep555

SequenceCheckConstraintError: Validation error

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master

The image shows the 'Product Master' form in the Azentio software. The form has a header with a back arrow, the title 'Product Master', and a help icon. Below the header is a section titled 'Product Master' with a blue border. The form contains several input fields: 'Product Group' with a dropdown menu showing 'Deposits', 'Product Code' with a text input 'dep555', 'Product Description' with a text input 'desc11' and a help icon, 'Retail/Corporate' with a dropdown menu showing 'Retail', 'DM Code' with a text input 'dep555', and 'Status' with a toggle switch. There is also a 'Remarks' section with a text input 'dep555'. At the bottom of the form, there is a blue error message box that says 'SequelizeUniqueConstraintError: Validation error'. In the top right corner, there is a red notification box that says 'Authorisation for this record is pending'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The image shows the 'Inbox' view in the Azentio software. The header has a back arrow, the title 'Inbox', and a search icon. Below the header is a section titled 'Inbox' with a blue border. The form contains several input fields: 'Product Group' with a dropdown menu showing 'Deposits', 'Product Code' with a text input 'dep555', 'Product Description' with a text input 'desc11' and a help icon, 'Retail/Corporate' with a dropdown menu showing 'Retail', 'DM Code' with a text input 'dep555', and 'Status' with a toggle switch. There is also a 'Remarks' section with a text input 'dep555'. At the bottom of the form, there is a blue error message box that says 'SequelizeUniqueConstraintError: Validation error'. In the top right corner, there is a red notification box that says 'Authorisation for this record is pending'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot displays the AZENTIO software interface. On the left is a dark blue sidebar with the AZENTIO logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Inbox' and contains a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table lists several records, including those with Reference Ids 5780, 5779, 5763, 5778, 5777, 5776, 167, 5775, and 164. Each record has an orange icon in the Action column. At the bottom of the table, a dark blue error message is displayed: 'SequelizeUniqueConstraintError: Validation error'. The top right of the interface shows user information for 'Puneet' (01-Sep-2023) and various system settings like 'English', 'LOS', and 'Azentio Software'.

| Action | Reference Id | Event Code   | Stage Code | Role Code | Employee Name | Created Date      | Workflow Code | Product |
|--------|--------------|--------------|------------|-----------|---------------|-------------------|---------------|---------|
|        | 5780         | SUB_PRD_MAST | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 19:48 | TSW           |         |
|        | 5779         | SUB_PRD_MAST | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 19:44 | TSW           |         |
|        | 5763         | PRODUCT_MST  | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 19:40 | TSW           |         |
|        | 5778         | SUB_PRD_MAST | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 19:12 | TSW           |         |
|        | 5777         | SUB_PRD_MAST | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 18:59 | TSW           |         |
|        | 5776         | SUB_PRD_MAST | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 18:56 | TSW           |         |
|        | 167          | SCHEME_MST   | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 18:35 | TSW           |         |
|        | 5775         | SUB_PRD_MAST | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 18:27 | TSW           |         |
|        | 164          | SCHEME_MST   | MAKER      | LOSMKR    | in00135       | 25-Jul-2022 18:25 | TSW           |         |
|        |              |              |            |           |               | 25-Jul-2022 18:23 | TSW           |         |

SequelizeUniqueConstraintError: Validation error