Cucumber Report

Start : Jul 25, 4:10:10.010 PM	*End : Jul 25, 4:10:36.115 PM*	*Duration : 26.105 s*
Features	Scenarios	Steps

|		
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 9

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	26.105 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	System should not allow user to save the records with invalid data	23	13	1	9	26.098 s

(F)- Product Master Retail Functionality

| FAILED	DURATION - 26.105 s	Scenarios		Steps	
		Total - 1		Total - 23	
/ 4:10:10.010 PM // 4:10:36.115 PM /		Pass - 0	1	Pass - 13	23
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- System should not allow user to save the records with invalid data

FAILED	DURATION - 26.098 s		Steps	
/ 4:10:10.017 PM // 4:10:36.115 PM /			Total - 23	
Product Master Retail Functionality			Pass - 13	23
			Fail - 1	
@ProductMaster_Retail_invalid			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
5	Then click on Product Master add button	PASSED	2.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
6	Then verify functionality and asterik mark of the field Product Group	PASSED	4.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
9	Then verify functionality of the field DM Code	PASSED	1.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
10	Then verify the field Remarks	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on save button	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot 		
12	Then validate the impact of any mandatory field blank	PASSED	0.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot 		
13	Then verify the functionality of Back button	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot 		
14	Then click on Product Master add button	FAILED	0.455 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2d089e6583b143ce423148b53b2dcbe0, clickElement {id=bd566690-123e-43ce-ad42-0da74b0797fe}] Capabilities {acceptInsecureCerts:		

#	Step / Hook Details	Status	Duration

	false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62458}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62458/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2d089e6583b143ce423148b53b2dcbe0)] -> xpath: //button[@ng-reflect-text='Add']] Session ID: 2d089e6583b143ce423148b53b2dcbe0
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	    at stepdefinitions.ProductMaster_Retail.click_on_product_master_add_button(ProductMaster_Retail.java:55)
	    at ?.click on Product Master add button(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:34)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.181 s
15	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
16	Then verify functionality and asterik mark of the field Product Code	SKIPPED	0.001 s
17	Then Enter Product Description	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
19	Then verify functionality of the field DM Code	SKIPPED	0.000 s
20	Then verify the field Remarks with special characters value	SKIPPED	0.000 s
21	Then click on save button	SKIPPED	0.001 s
22	Then validate the impact of special characters value in any field	SKIPPED	0.000 s
23	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System should not allow user to save the records with invalid data (F) Product Master Retail Functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System should not allow user to save the records with invalid data (F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality