
## **Cucumber Report**




FEATURES SUMMARY -- 2 --



| # | Feature Name                | T | P | F | S | Duration     |
|---|-----------------------------|---|---|---|---|--------------|
| 1 | Offer Details Functionality | 1 | 0 | 1 | 0 | 1 m 20.255 s |

SCENARIOS SUMMARY




| # | Feature Name                | Scenario Name  | T  | P  | F | S | Duration     |
|---|-----------------------------|--|----|----|---|---|--------------|
| 1 | Offer Details Functionality | To check the functionality of Finance details section in Offer | 17 | 13 | 1 | 3 | 1 m 20.251 s |
|   |                             | Details  |    |    |   |   |              |

DETAILED SECTION -- 4 --

## **(F)- Offer Details Functionality**

| FAILED           | DURATION - 1 m 20.255 s | Scenarios |   | Steps      |    |
|------------------|-------------------------|-----------|---|------------|----|
|                  |                         | Total - 1 |   | Total - 17 |    |
| / 2:11:31.854 PN | M // 2:12:52.109 PM /   | Pass - 0  | 1 | Pass - 13  | 17 |
|                  |                         | Fail - 1  |   | Fail - 1   |    |
|                  |                         | Skip - 0  |   | Skip - 3   |    |

## (S)- To check the functionality of Finance details section in Offer Details



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Launch the kuls application  | PASSED | 58.077 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s  |
|   | screenshot   |        |          |
|   | RADIO DE E II (NO DE                         |        |          |
| 2 | And User Login as maker  | PASSED | 0.179 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s  |
|   | screenshot   |        |          |

| 3 And Navigate to Mail box AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  4 And Sarch the value in Mail box AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  5 And Click on action icon of first record in offering details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED  AFT | # | Step / Hook Details  | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And Sarch the value in Mail box  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.171 s  2.114 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  0.156 s  1.120 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.175 s  0.171 s  |   |  |        |          |
| screenshot  And Sarch the value in Mail box  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.120 s  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s  | 3 | And Navigate to Mail box   | PASSED | 0.289 s  |
| 4 And Sarch the value in Mail box  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.175 s  |
| 4 And Sarch the value in Mail box  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.120 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s  |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.120 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s   |   | Company   Comp |        |          |
| Screenshot  And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then open Facility Info Record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.120 s  PASSED  0.186 s   | 4 | And Sarch the value in Mail box  | PASSED | 0.097 s  |
| 5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.171 s  |
| 5 And Click on action icon of first record in offering details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.120 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s   |   | screenshot   | 7      |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.120 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.156 s   |   | Manual   M |        |          |
| Screenshot  6 Then open Facility Info Record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s   | 5 | And Click on action icon of first record in offering details   | PASSED | 2.114 s  |
| 6 Then open Facility Info Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.156 s  |
| 6 Then open Facility Info Record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.186 s   |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.186 s  |   | Section   Market    |        |          |
|  | 6 | Then open Facility Info Record   | PASSED | 1.120 s  |
| screenshot   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.186 s  |
|  |   | screenshot   |        |          |


| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | ADDITION   Property    |        |          |
| 7  | Then Verify Offer Details Section displayed data should be in read only mode   | PASSED | 1.350 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.086 s  |
|    | screenshot   |        |          |
|    | *** ADMITS**   |        |          |
| 8  | Then verify all the fields should be available on the Finance Details section  | PASSED | 0.444 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.098 s  |
|    | Screenshot    Substitute   |        |          |
| 9  | Then verify the field Total Down Payment Amount should be in read only mode  | PASSED | 0.237 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### Property of the content of t | PASSED | 0.083 s  |
| 10 | Then verify the field Profit Amount should be in read only mode  | PASSED | 0.141 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.089 s  |
|    | screenshot   |        |          |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | *** NATIONAL PROPERTY OF THE P |        |          |
| 11 | Then verify the field Total Contract Value should be in read only mode   | PASSED | 0.163 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.086 s  |
|    | screenshot   | 1      |          |
|    | *** *** *** *** *** *** *** *** *** **   |        |          |
| 12 | Then verify the field Additional Down payment should be in read only mode  | PASSED | 0.155 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.081 s  |
|    | screenshot   |        |          |
|    | A Company   A Co   |        |          |
| 13 | Then verify the field Down Payment Percentage should be in read only mode  | PASSED | 0.141 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.091 s  |
|    | screenshot   |        |          |
|    | Market   M   |        |          |
| 14 | Then verify all the fields should be available on the Credit Risk Factor section   | FAILED | 10.406 s |
|    | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (573c51cdfd3a3185295b233a0120e96d)] -> xpath: //ion-title[contains(text(),'Credit Risk Factor (CONV)')]] (tried for 10 second(s) with 1000 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016382', ip: '10.1.47.113', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)   |        |          |


DETAILED SECTION -- 8 --

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.OfferDetails.verify_all_the_fields_should_be_available_on_the_credit_risk_factor_section(OfferDetails.java:181) at ?.verify all the fields should be available on the Credit Risk Factor section(file:///C:/Users/inindc00074/git/ Arul2609/Arul_AzentioULSFramework9/src/test/java/features/OfferDetails.feature:28) * Not displayable characters are replaced by '?'. |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.081 s  |
|    | screenshot  |         |          |
|    | Name  |         |          |
| 15 | Then verify all the fields of Credit Risk Factor section should be in read only mode  | SKIPPED | 0.000 s  |
| 16 | Then verify all the fields should be available on the Credit Score Details section  | SKIPPED | 0.000 s  |
| 17 | Then verify all the fields of Credit Score Details section should be in read only mode  | SKIPPED | 0.000 s  |


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

