# Cucumber Report

| Start : Aug 12, 5:28:31.446 PM | End : Aug 12, 5:29:40.564 PM | Duration : 1 m 9.118 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 9<br>FAILED - 1<br>SKIPPED - 12 |

1  1  22

Pass %  0 %   Pass %  0 %   Pass %  40 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | UnderWritter Offset Control Functionality | 1 | 0 | 1 | 0 | 1 m 9.118 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | UnderWritter Offset Control Functionality | System should display the proper validation post entering the invalid data and clicking on save button | 22 | 9 | 1 | 12 | 1 m 9.115 s |

## (F)- UnderWritter Offset Control Functionality

| FAILED | DURATION - 1 m 9.118 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 5:28:31.446 PM // 5:29:40.564 PM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 22<br>Pass - 9<br>Fail - 1<br>Skip - 12 | 22 |

## (S)- System should display the proper validation post entering the invalid data and clicking on save button

| FAILED | DURATION - 1 m 9.115 s | | Steps | |
|---|---|---|---|---|
| / 5:28:31.449 PM // 5:29:40.564 PM / | | | Total - 22 | |
| UnderWritter Offset Control Functionality | | | Pass - 9<br>Fail - 1<br>Skip - 12 | 22 |
| @UnderWritter_Offset_Control | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 7.073 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.345 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 6.123 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.213 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | Then click on the Business Rule | PASSED | 0.331 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.198 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on the UnderWritter Offset Control eye icon | PASSED | 0.388 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.500 s |
| | screenshot | | |
| |  | | |
| 5 | Then Modify the UnderWritter Offset Control approved record | PASSED | 2.730 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.167 s |
| | screenshot | | |
| |  | | |
| 6 | Then save the record | PASSED | 1.888 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.828 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then click on the inbox | PASSED | 0.317 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.309 s |
| 8 | And search UnderWritter Offset Control record from inbox | PASSED | 0.416 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.166 s |
| 9 | Then maker user open the UnderWritter record from inbox | PASSED | 0.602 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.234 s |
| 10 | And maker user submit the UnderWritter record | FAILED | 30.493 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button/span[contains(text(),'Submit')]' (tried for 30 second(s) with 1000 milliseconds interval)<br>   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)<br>   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at stepdefinitions.UnderWritter_Offset_Control.maker_user_submit_the_underwritter_record(UnderWritter_Offset_Control.java:131) | | |
| | at ?.maker user submit the UnderWritter record(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/UnderWritter_Offset_Control.feature:14) | | |
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button/span[contains(text(),'Submit')]"}   (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [985980b45b6ca2049b51456fc586b612, findElement {using=xpath, value=//button/span[contains(text(),'Submit')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49371}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49371/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 985980b45b6ca2049b51456fc586b612 | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) | | |
| | at stepdefinitions.UnderWritter_Offset_Control.maker_user_submit_the_underwritter_record(UnderWritter_Offset_Control.java:131) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.199 s |
| 11 | Then user logout from the application | SKIPPED | 0.001 s |
| 12 | And User Login as Checker | SKIPPED | 0.000 s |
| 13 | Then click on the inbox | SKIPPED | 0.001 s |
| 14 | And search UnderWritter Offset Control record from inbox | SKIPPED | 0.000 s |
| 15 | Then checker open the record from inbox | SKIPPED | 0.000 s |
| 16 | Then checker approve the record | SKIPPED | 0.000 s |
| 17 | Then user logout from the application | SKIPPED | 0.000 s |
| 18 | And User Login as maker | SKIPPED | 0.001 s |
| 19 | Then click on the Business Rule | SKIPPED | 0.000 s |
| 20 | Then click on the UnderWritter Offset Control eye icon | SKIPPED | 0.000 s |
| 21 | Then Validate the aapproved record | SKIPPED | 0.000 s |
| 22 | Then user logout from the application | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the proper validation post entering the invalid data and clicking on save button

(F) UnderWritter Offset Control Functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the proper validation post entering the invalid data and clicking on save button

(F) UnderWritter Offset Control Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the proper validation post entering the invalid data and clicking on save button

(F) UnderWritter Offset Control Functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the proper validation post entering the invalid data and clicking on save button

(F) UnderWritter Offset Control Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the proper validation post entering the invalid data and clicking on save button

(F) UnderWritter Offset Control Functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the proper validation post entering the invalid data and clicking on save button

(F) UnderWritter Offset Control Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWritter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWritter Offset Control
Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWritter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWritter Offset Control
Functionality