

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	13.939 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	7	7	0	0	13.935 s

DETAILED SECTION -- 4 --

(F)- Product Master Retail Functionality

PASSED	DURATION - 13.939 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 5:30:52.550 PM	Л // 5:31:06.489 PM /	Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify Checker user is able to Approve the record

PASSED DURATION - 13.935 s	10	1	_	_	- !		-				-	\neg	Steps			
	8	╢-		-	 	 	+-	 	 	 	 		Total - 7			
/ 5:30:52.554 PM // 5:31:06.489 PM /	6	╢-		-	 -	 	+ -	 j	 	 	 - -		Pass - 7			
Product Master Retail Functionality	4		-		 - 1	 		 	 :	 	 		Fail - 0		7	
@ProductMaster_Retail_Approve	0 -			L	 _	 	_	 _	 _	 	 1_		Skip - 0	•		
@F10ddctiviaster_Retail_Approve			1	1	2		3	4	5	6	7					


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
	AZENTIO Superior Superior		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		

3 Then click on Product Setup AFTER_STEP_stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on Product Master eye icon AFTER_STEP_stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdef	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 4 Then click on Product Master eye icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 5 Then click on Inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.160 s		PATENTION ON THE CONTINUE OF T		
screenshot Then click on Product Master eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.127 s PASSED 0.249 s PASSED 0.169 s	3	·	PASSED	
4 Then click on Product Master eye icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.249 s PASSED O.169 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
4 Then click on Product Master eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.217 s PASSED O.155 s Then click on inbox PASSED O.249 s PASSED O.69 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.057 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.057 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.155 s 0.169 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.057 s PASSED 0.125 s		Packet on Andrea Standard Market Stan		
Screenshot Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.057 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s	4	Then click on Product Master eye icon	PASSED	0.217 s
5 Then click on inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.249 s 0.169 s 0.169 s 0.169 s 0.169 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s PASSED 0.057 s PASSED 0.125 s		AZENTIO O NOTE OF CONTROL E D DE CONTROL E D D DE CONTROL E D DE CONTROL E D DE CONTROL E D DE CONTROL E D D D D D D D D D D D D D D D D D D		
Screenshot 6 And open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.057 s 0.125 s	5	Then click on inbox	PASSED	0.249 s
6 And open the record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.057 s 0.125 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
6 And open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.057 s 0.125 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.125 s		Mariana Mari		
	6	And open the record	PASSED	0.057 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
		screenshot		


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	AZENTIO 1		
7	Then submit the Record	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
	A PER A PE		


EXPANDED SECTION -- 7 --



EXPANDED SECTION -- 8 --



EXPANDED SECTION



EXPANDED SECTION -- 10 --

