

Cucumber Report

Jul 20, 2022, 3:47:00 PM

Start : Jul 20, 3:46:23.761 PM

End : Jul 20, 3:46:59.868 PM

Duration : 36.107 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 12
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	36.107 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product Master Retail Functionality</u>	<u>System should not allow user to save the records in system with invalid data</u>	29	12	1	16	36.104 s




(F)- Product Master Retail Functionality

FAILED	DURATION - 36.107 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 29 Pass - 12 Fail - 1 Skip - 16	
/ 3:46:23.761 PM // 3:46:59.868 PM /					




(S)- System should not allow user to save the records in system with invalid data


<div><div>FAILED</div><div>DURATION - 36.104 s</div></div>			<div>Steps</div> <div>Total - 29</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 16</div>	
/ 3:46:23.764 PM // 3:46:59.868 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_invalid				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.078 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	5.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	10.301 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
			
9	Then verify functionality of the field DM Code	PASSED	1.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	2.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			
13	Then click on Product Master add button	FAILED	0.507 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6578cbb62d1e4f16bd5c2d8a67fa1881, clickElement {id=6119c743-b36e-4099-b734-10b6c93b6be6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:56113}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56113/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (6578cbb62d1e4f16bd5c2d8a67fa1881)] -> xpath: //button[@ng-reflect-text='Add']] Session ID: 6578cbb62d1e4f16bd5c2d8a67fa1881</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor2.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.click_on_product_master_add_button(ProductMaster_Retail.java:50) at ?.click on Product Master add button(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:36) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.212 s
14	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
15	Then verify functionality and asterik mark of the field Product Code	SKIPPED	0.000 s
16	Then verify functionality and asterik mark of the field Product Description	SKIPPED	0.000 s
17	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
18	Then verify functionality of the field DM Code	SKIPPED	0.000 s
19	Then verify the field Remarks with numeric value	SKIPPED	0.000 s
20	Then click on save button	SKIPPED	0.000 s
21	Then verify the functionality of Back button	SKIPPED	0.000 s
22	Then click on Product Master add button	SKIPPED	0.000 s
23	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
24	Then verify functionality and asterik mark of the field Product Code	SKIPPED	0.000 s
25	Then verify functionality and asterik mark of the field Product Description	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
26	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.001 s
27	Then verify functionality of the field DM Code	SKIPPED	0.000 s
28	Then verify the field Remarks with special characters value	SKIPPED	0.000 s
29	Then click on save button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software


Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality




The screenshot shows the Azentio software interface. The top navigation bar includes a hamburger menu, an envelope icon, language dropdown (English), LOS dropdown, Azentio Software dropdown, a grid icon, a bell icon, a user profile icon for Puneet (01-Sep-2023), and a camera icon. The left sidebar is dark blue with the Azentio logo at the top. Below the logo are three icons: a wrench, a puzzle piece, and a clipboard. The sidebar menu items are: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is light blue and mostly empty, with a dark blue circular icon containing a white gear symbol in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality



The screenshot shows the Azentio software interface. The top navigation bar is identical to the first screenshot. The left sidebar is dark blue with the Azentio logo at the top. Below the logo are three icons: a wrench, a puzzle piece, and a clipboard. The sidebar menu items are: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is light gray and mostly empty, with a dark blue circular icon containing a white gear symbol in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 68 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PMR	Standard home loan - kuls	R	Active
	98303249	AHL	Standard Home Loan - KUBS	R	Active
	98303249	HL3	Home Loan - Standard	R	Active
	98303249	HFL	Housing Finance LTD	R	Active
	98303249	TTM	Corporate TTM	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is a 'Product Master' section with a back arrow and a red notification icon. The form contains several fields: 'Product Group' (a dropdown menu currently showing 'Lending'), 'Product Code' (a text input field), 'Product Description' (a dropdown menu with a 'Select' button, currently showing 'Deposits'), 'Retail/Corporate' (a dropdown menu with a 'Select' button), and 'Remarks' (a large text area). A 'DM Code' dropdown menu is also visible, showing 'Lending' as the selected option.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'LFH' entered), 'Product Description' (a text field with a lock icon), 'Retail/Corporate' (a dropdown menu with 'Select' selected), 'DM Code' (a text field), and 'Remarks' (a large text area). The form is styled with a clean, modern design using blue and white colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'LFH' entered), 'Product Description' (a text field with a lock icon), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text field), and 'Remarks' (a large text area). The 'Retail/Corporate' dropdown menu is open, showing a list of options: 'Select', 'Corporate', and 'Retail' (which is highlighted with a blue checkmark). The form is styled with a clean, modern design using blue and white colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'LFH'), 'Product Description' (a text field with a placeholder), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text field with 'Loan'), and 'Remarks' (a large text area). The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'LFH'), 'Product Description' (a text field with a placeholder), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text field with 'Loan'), and 'Remarks' (a large text area). The form is styled with a clean, modern design using white and light gray colors.

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet
01-Sep-2023

<

Product Master

Product Group *

Lending

Product Description *

Required field

DM Code

Loan

Remarks

Loan

Product Code *

LFH

Retail/Corporate *

Retail

Please fill all the details

(F) Product Master Retail Functionality

[English](#)
[LOS](#)
[Azentio Software](#)

Puneet
01-Sep-2023

- [Asset Collateral Config](#)
- [Business Rules](#)
- [Corporate Masters](#)
- [Misc Config](#)
- [Other Masters](#)
- [Product Definitions](#)
- [Product Setup](#)
- Asset Auto Master
- Asset CD Master
- Product master
- Sub Product Master
- [Regulatory Product Defini...](#)
- [Project Setup](#)
- [Config Manager](#)

Product Master

[+](#)

Export











Action	Product Group ↑↓	Product Code ↑↓	Product Description ↑↓	Retail/Corporate ↑↓	Status ↑↓
←	<h3>Product Master</h3>				
<div style="display: flex; justify-content: space-between;"> <div> Product Group * <div style="border: 1px solid #ccc; padding: 5px; width: 300px;">Lending</div> </div> <div> Product Code * <div style="border: 1px solid #ccc; padding: 5px; width: 150px;">LFH</div> </div> </div>					
<div style="display: flex; justify-content: space-between;"> <div> Product Description * <div style="border: 1px solid #ccc; padding: 5px; width: 300px;"></div> </div> <div> Retail/Corporate * <div style="border: 1px solid #ccc; padding: 5px; width: 150px;">Retail</div> </div> </div>					
<div style="display: flex; justify-content: space-between;"> <div> DM Code <div style="border: 1px solid #ccc; padding: 5px; width: 300px;">Loan</div> </div> <div> Remarks <div style="border: 1px solid #ccc; padding: 5px; width: 300px;"></div> </div> </div>					

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality

The screenshot displays the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and features a table with the following columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with a status of 'Active'. At the bottom of the table, it says 'Showing 1 to 5 of 68 entries' with pagination controls. A search bar and an 'Export' button are located at the top right of the table area. A user profile for 'Puneet' is visible in the top right corner of the page.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
 	98303249	PMR	Standard home loan - kuls	R	Active
 	98303249	AHL	Standard Home Loan - KUBS	R	Active
 	98303249	HL3	Home Loan - Standard	R	Active
 	98303249	HFL	Housing Finance LTD	R	Active
 	98303249	TTM	Corporate TTM	R	Active