


FEATURES SUMMARY -- 2 --



| # | Feature Name             | T | P | F | S | Duration |  |
|---|--------------------------|---|---|---|---|----------|--|
| 1 | collateral Functionality | 1 | 0 | 1 | 0 | 10.347 s |  |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name             | Scenario Name   | T  | P | F | S  | Duration |
|---|--------------------------|---|----|---|---|----|----------|
| 1 | collateral Functionality | To verify while modification system enters the invalid data | 11 | 1 | 0 | 10 | 10.344 s |

DETAILED SECTION -- 4 --

## **(F)- collateral Functionality**

| FAILED           | DURATION - 10.347 s    | Scenarios |   | Steps      |    |
|------------------|------------------------|-----------|---|------------|----|
|                  |                        | Total - 1 |   | Total - 11 |    |
| / 1:03:58.490 PN | // // 1:04:08.837 PM / | Pass - 0  | 1 | Pass - 1   | 11 |
|                  |                        | Fail - 1  |   | Fail - 0   |    |
|                  |                        | Skip - 0  |   | Skip - 10  |    |

## (S)- To verify while modification system enters the invalid data



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application  | PASSED | 3.127 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | FAILED | 0.030 s  |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [f315d647dff082c0fcf5488c93c26a52, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:49811}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: ViNDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49811/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: f315d647dff082c0fcf5488c93c26a52 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   |         |          |
|    | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |         |          |
|    | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   |         |          |
|    | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:1547)  |         |          |
|    | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)   |         |          |
|    | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)   |         |          |
|    | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)   |         |          |
|    | at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)   |         |          |
| 2  | And User Login as maker   | SKIPPED | 0.001 s  |
| 3  | Then click on Asset collateral config   | SKIPPED | 0.000 s  |
| 4  | Then click on collateral eye icon   | SKIPPED | 0.000 s  |
| 5  | Then open the already approved record   | SKIPPED | 0.000 s  |
| 6  | Then modify the record with any mandatory field blank   | SKIPPED | 0.000 s  |
| 7  | Then click on collateral save button  | SKIPPED | 0.000 s  |
| 8  | Then validate the impact when user keep any mandatory field blank   | SKIPPED | 0.001 s  |
| 9  | Then modify the record with invalid data  | SKIPPED | 0.000 s  |
| 10 | Then validate the impact of invalid data  | SKIPPED | 0.001 s  |
| 11 | Then user logout from the application   | SKIPPED | 0.000 s  |
|    | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)  | FAILED  | 4.114 s  |
|    | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f315d647dff082c0fcf5488c93c26a52, close {}] |         |          |
|    | Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80   |         |          |
|    | (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:49811},  |         |          |
|    | javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:  |         |          |
|    | Proxy(), se:cdp: ws://localhost:49811/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,   |         |          |
|    | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f315d647dff082c0fcf5488c93c26a52  |         |          |
|    | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)   |         |          |
|    | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  |         |          |
|    | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |         |          |
|    | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |         |          |
|    | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  |         |          |
|    | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.200)  |         |          |
|    | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |         |          |
|    | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |         |          |
|    | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   |         |          |
|    |   |         |          |

DETAILED SECTION -- 6 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) |        |          |