


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	45.117 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property	Verify the functionality of Activate/Deactivate button of	18	12	1	5	45.109 s
	Details screen	Property Details screen					

(F)- Check the functionality of Property Details screen

FAILED	DURATION - 45.117 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 12:51:23.714 P	M // 12:52:08.831 PM /	Pass - 0	1	Pass - 12	18 📜
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	12.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.802 s
	screenshot		
	AZENTIO MODELLA CONTRACTOR CONTRA		
2	And User Login as maker	PASSED	7.865 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
	ASSETTO Discuss Part 20 II		
3	Then select data set ID for property details testcase006	PASSED	0.591 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
	ASSITTO Final State Sta		
4	Then user should click on the menu toggle from maker stage	PASSED	0.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
	ASSETTO Note that I also the second and the second		
5	Then click on inbox to search for the Property Details record	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.373 s
	screenshot		
	MARINE MARINE DE LE CONTROL DE		
6	Then click on search button to search the record of Property Details in inbox	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
	According to the control of the co		
7	Then enter the reference id of the Property Details record	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Part		
8	Then click on the entitle button of the Property Details record of that reference id	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
	PARTON DESCRIPTION OF THE PARTON DESCRIPTION D		
		DA 005D	0.110
9	Then click on the Property Details tab	PASSED	2.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.517 s
	screenshot	-	
	ACTIVITY Brown Common		
10	Then open the active record of Property Details to modify	PASSED	0.414 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.713 s
	screenshot		
	ACENTO SANCO IL II II IN INC. INC. III II I		
	•		
11	Then click on status toggle button under property details to deactive	PASSED	0.976 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
	FINAL PROPERTY OF THE PROPERTY		
	Summer S		
	The administration of the second of the seco		


#	Step / Hook Details	Status	Duration
12	Then click on update button under property details	PASSED	1.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot	1	
	AZENTO SUMPLE AS E	-	
	Command C		
	© ***		
	\$ \$\text{Storigital/Prime} \(\text{*} \ \text{*}		
13	Then verify on clicking toggle button system should allow user to change the status of the record to Deactivate	FAILED	10.058 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath:		
	//button[@ng-reflect-text='Go Back']' (tried for 10 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)		
	at stepdefinitions.PropertyDetails.		
	verify_on_clicking_toggle_button_system_should_allow_user_to_change_the_status_of_the_record_to_Deactivate(PropertyDetails.java:212)		
	at ?.verify on clicking toggle button system should allow user to change the status of the record to Deactivate(file:///C:/Users/		
	ININDC00091/git/Azentio_ULS/Devesh_ULS_03082023/Devesh_AzentioULSFramework_ExcelTest/src/test/java/features/PropertyDetails. feature:17)		
	Caused by: org.openga.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"/button[@ng-reflect-text='Go Back']"} (Session info: chrome=115.0.5790.171) For documentation on this error,		
	please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host:		
	'DESKTOP-PSK9T3U', ip: '10.200.4.66', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.		
	openqa.selenium.chrome.ChromeDriver Command: [3b1de8ce58e3fdcb575e0e923b4f5b07, findElement {using=xpath, value=//button[@ng-		
	reflect-text='Go Back']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome:		
	{chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions:		
	{debuggerAddress: localhost:57931}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:		
	WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57931/devtoo, se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3b1de8ce58e3fdcb575e0e923b4f5b07		
	at jdk.internal.reflect.GeneratedConstructorAccessor39.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)		
	at stepdefinitions.PropertyDetails.		
	verify_on_clicking_toggle_button_system_should_allow_user_to_change_the_status_of_the_record_to_Deactivate(PropertyDetails.java:212)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		


DETAILED SECTION -- 9 --

Step / Hook Details	Status	Duration
at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
at org.testng.TestRunner.privateRun(TestRunner.java:794)		
at org.testng.TestRunner.run(TestRunner.java:596)		
at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
at org.testng.TestNG.runSuites(TestNG.java:1063)		
at org.testng.TestNG.run(TestNG.java:1031)		
at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	100=5	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	ASSED	0.289 s
screenshot		
Sandrick State of the Control of the		
Property Details The state of		
X towns		
Then open the deactive record of Property Details to modify	KIPPED	0.001 s
Then click on status toggle button under property details to deactive	KIPPED	0.000 s
Then click on update button under property details	KIPPED	0.000 s
Then verify on clicking toggle button system should allow user to change the status of the record to Activate	KIPPED	0.000 s
Then verify the functionality of Back button on property details screen	KIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

