


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	42.553 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	To verify the list view data in wareHouse master	13	13	0	0	42.529 s
	Warehouse Master						

(F)- check the functionality of the Warehouse Master

PASSED	DURATION - 42.553 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 2:54:33.111 pm	// 2:55:15.664 pm /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify the list view data in wareHouse master



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	18.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.424 s
	screenshot		
	ACTIVITY SET SOLUTION SET SO		
2	Then user click on configurations Tab	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.311 s
	screenshot		
	A STATUTO		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on view button in ware house master After_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_Step - stepdefinitions.Ho	#	Step / Hook Details	Status	Duration
screenshot 4 And click on view button in ware house master AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And select the first approved record AFTER_STEP stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) Corenshot AFTER_STEP stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.578 s PASSED 0.901 s Corenshot AFTER_STEP stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s AFTER_STEP stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s AFTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s	3	When user click Config Manager menu	PASSED	0.140 s
4 And click on view button in ware house master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And select the first approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Passed 0.243 s Passed 0.378 s 0.901 s			PASSED	2.620 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s PASSED 1.417 s				
screenshot 5 And select the first approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Get The approved record data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.439 S AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 S 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 S AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s	4	And click on view button in ware house master	PASSED	0.243 s
5 And select the first approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Get The approved record data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 2.439 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s PASSED 1.417 s			PASSED	1.747 s
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 6 And Get The approved record data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.901 s 0.901 s 0.901 s				
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 6 And Get The approved record data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.901 s 0.901 s 0.901 s	5	And select the first approved record	PASSED	0.578 s
6 And Get The approved record data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s			PASSED	0.901 s
6 And Get The approved record data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s		screenshot	7	
6 And Get The approved record data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s		# 1 (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)		
AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot 7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.343 s 0.343 s				
7 Then verify System should display the currect description value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s	6			
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s			PASSED	0.343 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s		AZENTO		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.417 s	7	Then verify System should display the currect description value	PASSED	0.128 s
screenshot			PASSED	1.417 s
		screenshot		

Then verify system should display the currect address value AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.073 s PASSED O.301 s PASSED O.072 s PASSED O.073 s O.072 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Then verify system should display the currect phone 1 value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.072 s PASSED O.246 s PASSED O.25 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then verify system should display the currect mail value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.075 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.374 s		CONTROL OF THE PROPERTY OF THE		
screenshot 9 Then verify system should display the currect phone 1 value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed 0.072 s PASSED 0.246 s 0.246 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed 0.052 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed 0.075 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s	8	Then verify system should display the currect address value	PASSED	0.073 s
9 Then verify system should display the currect phone 1 value PASSED 0.072 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display the currect fax value PASSED 0.052 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 11 Then verify system should display the currect mail value PASSED 0.075 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
9 Then verify system should display the currect phone 1 value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.052 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.052 s 0.297 s 11 Then verify system should display the currect mail value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.246 s Then verify system should display the currect fax value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.052 s PASSED 0.052 s PASSED 0.297 s Then verify system should display the currect mail value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s PASSED 0.075 s 0.075 s 0.075 s		# 2 (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)		
screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 21 Then verify system should display the currect mail value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.052 s 0.297 s 0.297 s	9	Then verify system should display the currect phone 1 value	PASSED	0.072 s
10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 11 Then verify system should display the currect mail value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.052 s 0.297 s 0.297 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 11 Then verify system should display the currect mail value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 11 Then verify system should display the currect mail value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.297 s 0.297 s 0.374 s				
Screenshot 11 Then verify system should display the currect mail value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s PASSED 0.374 s	10	Then verify system should display the currect fax value	PASSED	0.052 s
11 Then verify system should display the currect mail value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s 0.374 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
11 Then verify system should display the currect mail value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.075 s Output Description: Output Descripti		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.374 s				
	11	Then verify system should display the currect mail value	PASSED	0.075 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
screenshot		screenshot]	


#	Step / Hook Details	Status	Duration
	# 200 00 00 00 00 00 00 00 00 00 00 00 00		
12	Then verify system should display the currect contarct person value	PASSED	0.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
	## ACCUPTION ## ## ## ACCUPTION ## ## ## ACCUPTION ## ## ACCUPTION ## ## ## ## ## ## ## ## ## ## ## ## ##		
13	Then verify system should display the exact status of the record	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		

EXPANDED SECTION -- 8 --







EXPANDED SECTION -- 10 --




EXPANDED SECTION



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

