Cucumber Report

| Start : Aug 03, 5:04:26.288 PM	End : Aug 03, 5:04:30.106 PM	Duration : 3.818 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 12

1

1

13

Pass %

0 %

Pass %

0 %

Pass %

0 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	3.818 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	Verify the functionality of Activate/Deactivate button of Property Details screen	13	0	1	12	3.811 s

(F)- Check the functionality of Property Details screen

FAILED	DURATION - 3.818 s	Scenarios		Steps	
/ 5:04:26.288 PM // 5:04:30.106 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 13 Pass - 0 Fail - 1 Skip - 12	13

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen

FAILED	DURATION - 3.811 s		Steps	
/ 5:04:26.295 PM // 5:04:30.106 PM /			Total - 13	
Check the functionality of Property Details screen			Pass - 0 Fail - 1	13
@AT_PD_006			Skip - 12	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	FAILED	0.009 s

	java.lang.RuntimeException: jsonPath not specified in the Configuration.properties file.
	    at dataProvider.ConfigFileReader.getJsonPath(ConfigFileReader.java:72)
	    at dataProvider.JsonConfig.<init>(JsonConfig.java:73)
	    at stepdefinitions.KULS_Application_Login.<init>(KULS_Application_Login.java:29)
	    at stepdefinitions.KULS_Login.<init>(KULS_Login.java:22)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)
	    at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:342)
	    at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)
	    at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)
	    at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)
	    at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)
	    at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)
	    at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.254 s
2	And User Login as maker	SKIPPED	0.000 s
3	Then user should click on the menu toggle from maker stage	SKIPPED	0.000 s
4	Then click on inbox to search for the Property Details record	SKIPPED	0.000 s
5	Then click on search button to search the record of Property Details in inbox	SKIPPED	0.001 s
6	Then enter the reference id of the Property Details record	SKIPPED	0.000 s
7	Then click on the entitle button of the Property Details record of that reference id	SKIPPED	0.000 s
8	Then click on the Property Details tab	SKIPPED	0.001 s
9	Then open the record of Property Details to modify	SKIPPED	0.000 s
10	Then verify on clicking toggle button system should allow user to change the status of the record as Activate or Deactivate	SKIPPED	0.000 s
11	Then verify the Label on button if the status of property details record is Active	SKIPPED	0.000 s
12	Then verify the Label on button if the status of property details record is Deactive	SKIPPED	0.001 s
13	Then verify the functionality of Back button on property details screen	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen