Cucumber Report

| **Start : Aug 09, 12:04:00.118 PM**	**End : Aug 09, 12:04:28.871 PM**	**Duration : 28.753 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 8

Features: 1

Scenarios: 1

Steps: 18

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 50 %

| #	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	28.753 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	Verify the functionality of Activate/Deactivate button of Property Details screen	18	9	1	8	28.745 s

## (F)- Check the functionality of Property Details screen

FAILED	DURATION - 28.753 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 12:04:00.118 PM // 12:04:28.871 PM /		Pass - 0	1	Pass - 9	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

## (S)- Verify the functionality of Activate/Deactivate button of Property Details screen

FAILED	DURATION - 28.745 s		Steps	
/ 12:04:00.126 PM // 12:04:28.871 PM /			Total - 18	
Check the functionality of Property Details screen			Pass - 9	18
			Fail - 1	
@AT_PD_006			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.837 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.805 s
	screenshot		
	+		
2	And User Login as maker	PASSED	8.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
	+		
3	Then select data set ID for property details testcase006	PASSED	0.485 s

| #	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
4	Then user should click on the menu toggle from maker stage	PASSED	0.511 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
5	Then click on inbox to search for the Property Details record	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
6	Then click on search button to search the record of Property Details in inbox	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
7	Then enter the reference id of the Property Details record	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then click on the entitle button of the Property Details record of that reference id	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
9	Then click on the Property Details tab	PASSED	2.050 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.490 s
	screenshot		
10	Then open the active record of Property Details to modify	FAILED	1.829 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-qoi-c530="" tooltipposition="top" pbutton="" pripple="" type="button" icon="pi pi-pencil" class="p-element p-button-sm p-button-info p-button-raised p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-icon="pi pi-pencil" ng-reflect-tooltip-position="top" ng-reflect-text="Edit">...</button> is not clickable at point (285, 284). Other element would receive the click: <ion-select _ngcontent-qoi-c178="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label=" Demand Draft , Type of Transaction *" ng-reflect-model="98313853">...</ion-select> (Session info: chrome=115.0.5790.171) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.66', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c82a9cb2c89a0dc27941315f0826fc0, clickElement {id=D5E3AE9781DE1A25C57388D1FC9E5691_element_78}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56139}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56139/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0c82a9cb2c89a0dc27941315f0826fc0)] -> xpath: //td[1]/span/button[1]] Session ID: 0c82a9cb2c89a0dc27941315f0826fc0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.PropertyDetails.open_the_active_record_of_Property_Details_to_modify(PropertyDetails.java:141) at ?.open the active record of Property Details to modify(file:///C:/Users/ININDC00091/git/Azentio_ULS/Devesh_ULS_03082023/Devesh_AzentioULSFramework_ExcelTest/src/test/java/features/PropertyDetails.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.287 s
11	Then click on status toggle button under property details to deactive	SKIPPED	0.000 s
12	Then click on update button under property details	SKIPPED	0.000 s
13	Then verify on clicking toggle button system should allow user to change the status of the record to Deactivate	SKIPPED	0.000 s
14	Then open the deactive record of Property Details to modify	SKIPPED	0.000 s
15	Then click on status toggle button under property details to deactive	SKIPPED	0.001 s
16	Then click on update button under property details	SKIPPED	0.000 s
17	Then verify on clicking toggle button system should allow user to change the status of the record to Activate	SKIPPED	0.000 s
18	Then verify the functionality of Back button on property details screen	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

User ID

CONTINUE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

31-Jan-2023   Engl...   LOS   Cen...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

31-Jan-2023

Engl...   LOS   Cen...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

31-Jan-2023

Engl...   LOS   Cen...

Search the menu

Dashboard

Configurations   ⌄

Transactions   ⌄

Reports   ⌄

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

AZENTIO
ONEBanking

31-Jan-2023

English... | LOS ▾ | Cen... ▾

Inbox

Search the menu

Dashboard

Configurations ▾

Transactions ▾

Reports ▾

Action

Showing 0 to 0 of 0 entries

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

AZENTIO
ONEBanking

31-Jan-2023

English... | LOS ▾ | Cen... ▾

Inbox

Search the menu

Dashboard

Configurations ▾

Transactions ▾

Reports ▾

Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
👤	2697	Manoj	Loan Application	Home Loan Workflow	in02256	Duplicate App Decision	BRMANG	09-Aug-2023	
👤	2696	Niraj	Loan Application	Home Loan Workflow	in02256	Fee Collection	BREXEC	09-Aug-2023	
👤	2695	Nilesh	Loan Application	Home Loan Workflow	in02256	Fee Collection	BREXEC	09-Aug-2023	
👤	6395		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	07-Aug-2023	
👤	6394		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	07-Aug-2023	
👤	2657	Neha Sharma	Loan Application	Home Loan Workflow	in02256	New Application	BREXEC	07-Aug-2023	
👤	216		BPM Two Stage Workflow	Two Stage Workflow	in02256	maker	LOSMKR	07-Aug-2023	
👤	2611	testerz	Loan Application	Home Loan Workflow	in02256	App Data Entry	CPUEXEC	03-Aug-2023	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

31-Jan-2023

Engl... | LOS | Cen...

Prev | Application Info | Customer details | Additional Customer Info | Customer Financials | Facility Info | D Next

Search the menu

Dashboard

Configurations

Transactions

Reports

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the functionality of Activate/Deactivate button of Property Details screen

(F) Check the functionality of Property Details screen

AZENTIO
ONEBanking

31-Jan-2023

Engl... | LOS | Cen...

Prev | Application Info | Customer details | Additional Customer Info | Customer Financials | Facility Info | Next

Search the menu

Dashboard

Configurations

Transactions

Reports

Property Details

Security Type *	Property City *
Primary Collateral	Mumbai
Type Of Transaction *	Purchased From *
Demand Draft	Builder
Property Type *	APF Status *
Building	NO
Construction Status *	Property Category *
To be constructed	Residential
Nature Of Property *	Occupancy Status *
Freehold	Under construction
Name Of The Developer *	Project
Lodha Group	Select