

Cucumber Report

Jul 25, 2022, 11:29:34 PM

Start : Jul 25, 11:29:02.689 PM

End : Jul 25, 11:29:34.132 PM

Duration : 31.443 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 17


FAILED - 1

SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	31.443 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product Master Retail Functionality</u>	<u>System should not allow user to save the records with invalid data</u>	22	17	1	4	31.439 s


(F)- Product Master Retail Functionality


FAILED	DURATION - 31.443 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 17 Fail - 1 Skip - 4	
/ 11:29:02.689 PM // 11:29:34.132 PM /					

(S)- System should not allow user to save the records with invalid data





<div>FAILED</div> <div>DURATION - 31.439 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 17</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 11:29:02.693 PM // 11:29:34.132 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_invalid</div>				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.424 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot 		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.638 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
9	Then verify the field Remarks	PASSED	1.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
			
10	Then click on save button	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then validate the impact of any mandatory field blank	PASSED	0.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
13	Then click on Product Master add button	PASSED	1.641 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
			
14	Then verify functionality and asterik mark of the field Product Group	PASSED	2.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then verify functionality and asterik mark of the field Product Code	PASSED	1.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
			
16	Then Enter Product Description	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
			
17	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		
			
18	Then verify functionality of the field DM Code	FAILED	0.184 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f864dd547fd274db1a213824c6f0b75c, sendKeysToElement {id=98014cd0-f029-4cca-8c18-c3aa358ebf62, value=[Ljava.lang.CharSequence;@3dfe92ef]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80</p>		

#	Step / Hook Details	Status	Duration
	<p>(7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:51746}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51746/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f864dd547fd274db1a213824c6f0b75c)] -> xpath: //ion-row[1]/ion-col[6]/ion-item[1]/ion-input[1]/input] Session ID: f864dd547fd274db1a213824c6f0b75c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_of_the_field_dm_code(ProductMaster_Retail.java:159) at ?.verify functionality of the field DM Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:38) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.162 s
19	Then verify the field Remarks with special characters value	SKIPPED	0.000 s
20	Then click on save button	SKIPPED	0.000 s
21	Then validate the impact of special characters value in any field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is the 'Product Master' title and a search bar. A table lists products with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data. At the bottom, there is a pagination bar showing 'Showing 1 to 5 of 121 entries' and a dropdown for 5 items per page.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user information. Below the header is the 'Product Master' title and a back button. The form contains several fields: Product Group (dropdown menu), Product Code (text input), Product Description (dropdown menu with 'Select' as the current value), Retail/Corporate (dropdown menu with 'Select' as the current value), DM Code (dropdown menu with 'Lending' selected), and Remarks (text area). A 'Save' button is visible in the top right corner.

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Select ▾

Product Master

Product Master

Product Group *

Lending

Product Description *

DM Code

Remarks

Product Code *

PR10

Retail/Corporate *

Retail

Select

Corporate

Retail

Product Definition

- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

- ② Regulatory Product Defini...
- ② Project Setup
- ② Config Manager

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

☰

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Code *

PR10

Product Description *

Retail/Corporate *

Retail

DM Code

Remarks

HomeLoan

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Menu

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Code *

PR10

Product Description *

Retail

Required field

DM Code

Remarks

HomeLoan

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

Product Master

Product Master

Product Group *
Lending

Product Code *
PR10

Product Description *

Required field

Retail/Corporate *
Retail

DM Code

Remarks
HomeLoan

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

Product Master

Product Master

Export

Action

Product Group

Product Code

Product Description

Retail/Corporate

Status

Product Master

Product Group *
Lending

Product Code *
PR10

Product Description *


Required field




Retail/Corporate *
Retail

DM Code




Remarks
HomeLoan




Please fill all the details






- ① Asset Collateral Config
- ① Business Rules
- ① Corporate Masters
- ① Misc Config
- ① Other Masters
- ① Product Definitions
- ① Product Setup

 Asset Auto Master
 


 Asset CD Master
 


 Product master
 


- ① Sub Product Master
- ① Regulatory Product Defini...
- ① Project Setup
- ① Config Manager

English

LOS

Azentio Software

Puneet











01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
 	98303275	dep003	dep003	R	Active
 	98303275	dep001	dep001	R	Active
 	98303275	dep60	desc11	R	Active
 	98303275	dep57	dep57	R	Active
 	98303275	dep555	dep555	R	In-active

Showing 1 to 5 of 121 entries

<<

<

1

2

3

4

5


>

>>

5

←

Product Master



Product Master

Product Group

Please fill all the details

←

Product Master

Product Master

Product Group:

Please fill all the details

☰


English ▼

LOS ▼

Azentio Software ▼

⋮

🔔

Puneet
01-Sep-2023

Product Master

Product Master

Product Group *

Lending ▼

Product Description *

Select

Deposits

QM Code

Lending ✓

Trade

Treasury

Product Code *

Retail/Corporate *

Select ▼

Remarks

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

☰

English ▼

LOS ▼

Azentio Software ▼

Puneet
01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▼

Product Description *

Product Code *

PR10

Retail/Corporate *

Select ▼

DM Code

Remarks

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

<

Product Master

Product Master

Product Group *

Lending

Product Code *

PR10

Product Description *

Loan

Retail/Corporate *

Select

DM Code

Remarks

(F) Product Master Retail Functionality

English
LOS
Azentio Software

Puneet
01-Sep-2023

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup

Asset Auto Master
- Product master**

Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Product Group *

Product Code *

Product Description *

Retail/Corporate *

Retail

Select

Corporate

Retail

DM Code

Remarks

(F) Product Master Retail Functionality

AZENTIO™

☰

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

📧 English ▼ LOS ▼ Azentio Software ▼ 🗄️ 🔔 👤 Puneet
01-Sep-2023 ⚙️

< Product Master >

Product Group *

Lending▼

Product Code *

PR10

Product Description *

Loan🔒

Retail/Corporate *

Retail▼

DM Code

Remarks