


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	11.810 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to view Customer Information tab at	11	1	1	9	11.807 s
		New App Stage					

DETAILED SECTION -- 4 --

## (F)- Title of your feature

FAILED	DURATION - 11.810 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:16:14.791 AM	1 // 9:16:26.601 AM /	Pass - 0	1	Pass - 1	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## **(S)-** To verify user is able to view Customer Information tab at New App Stage

FAILED DURATION - 11.807 s	5 7	-	1 1						-		Steps	
/ 9:16:14.794 AM // 9:16:26.601 AM /	3-						-	+  - 	+		Total - 11	
	2-	-						+  -			Pass - 1	11
Title of your feature	1-	-		<del> </del> -				i i-			Fail - 1	
@tag @AT_CD_02	0-1-	1	2 3	4	5	6	7	8 9	10	11	Skip - 9	

#	Step / Hook Details	Status	Duration	
1	Given navigate the IJARA URL	PASSED	3.529 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s	
	screenshot			
	AZENTIO  Calculation  The state of the state			
2	And login with valid credentials	FAILED	4.174 s	
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b25f49ed6c077fe54e3b1b415eb90d0d, isElementDisplayed {id=DFD7088C87269D758BB241A0A40F2CEF_element_13}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\ININDC~2\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60183}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60183/devtoo, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,			

#	Step / Hook Details	Status	Duration
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [org.openqa.selenium.remote.RemoteWebElement@593807cf -> unknown locator] Session ID: b25f49ed6c077fe54e3b1b415eb90d0d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.BriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:224) at stepdefinitions.ljaraLogin.loginWithljaraApplication(jaraLogin.java:50) at stepdefinitions.ljaraTest.login_with_valid_credentials(ljaraTest.java:22) at ?.login with valid credentials(file:///C:/Users/ININDC00627/git/ULS_ljarah_Tauqeer/KULS_Sankar/src/test/java/features/testijarah. feature:31) * Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ***CommandExecutor.java:196) **CommandExecutor.java:196) ***CommandExecutor.java:196) ***CommandExecutor.java:196) ***CommandExecutor.java:196) ***CommandExecutor.java:196) ***CommandExecutor.java:196) ***CommandExecutor.java:196) ***CommandExecutor.java:196) ***CommandExecutor.java:196) **CommandExecutor.java:196) **CommandExecutor.java:196) **CommandExecutor.java:196) **CommandExecutor.java:196) **CommandExecutor.java:196) **CommandExecutor.java:196) **CommandExecutor.java:196) **CommandExecutor.java:196) **CommandExecutor.java:196) **	PASSED	0.187 s
	And Hear get the test data for test case AT CD 01	CKIDDED	0.000 a
3	And User get the test data for test case AT_CD_01  And User click the module name dropdown in ULS application	SKIPPED SKIPPED	0.000 s 0.001 s
5	And User select the module name as LOS in ULS application	SKIPPED	0.001 s
6	And user click on the hamburger menu	SKIPPED	0.000 s
7	And user click on the transactions module	SKIPPED	0.000 s
8	And user click on the application manager option	SKIPPED	0.000 s
9	And user click on the customer details module	SKIPPED	0.000 s
10	And user click the add button under customer details tab	SKIPPED	0.000 s
11	And user click on the back button in personal details	SKIPPED	0.000 s
		J	

