

# Cucumber Report

Jul 22, 2022, 10:44:49 PM

Start : Jul 22, 10:44:28.627 PM

End : Jul 22, 10:44:49.101 PM

Duration : 20.474 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 39







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	20.474 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	49	9	1	39	20.471 s

**(F)- Product Master Retail Functionality**





<b>FAILED</b>	<b>DURATION - 20.474 s</b>	Scenarios		Steps	
/ 10:44:28.627 PM // 10:44:49.101 PM /		Total - 1	1	Total - 49	49
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 39	


**(S)- verify Checker user is able to Approve the record**

<div>FAILED</div> <div>DURATION - 20.471 s</div>			Steps		
/ 10:44:28.630 PM // 10:44:49.101 PM /			Total - 49		
Product Master Retail Functionality			Pass - 9		
@ProductMaster_Retail_Approve_Reject_Return			Fail - 1		
			Skip - 39		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.621 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
			
10	Then verify the field Remarks	FAILED	0.178 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bf27cd2b8659cde3196a4cb74b989910, sendKeysToElement {id=0b9090cb-bf22-4b54-a135-30dc657ff984, value=[Ljava.lang.CharSequence;@c0c8f96]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:</p>		

#	Step / Hook Details	Status	Duration
	<pre>{chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:63094}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63094/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bf27cd2b8659cde3196a4cb74b989910)] -&gt; xpath: //ion-textarea[1]//textarea[1]] Session ID: bf27cd2b8659cde3196a4cb74b989910</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:171) at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:70) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.121 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And open record for Approve	SKIPPED	0.000 s
15	Then submit the Record	SKIPPED	0.000 s
16	Then click on Product Master eye icon	SKIPPED	0.001 s
17	Then click on Product Master add button	SKIPPED	0.000 s
18	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
19	Then Enter Product Code for reject	SKIPPED	0.001 s
20	Then Enter Product Description	SKIPPED	0.000 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.001 s
24	Then validate Success pop up	SKIPPED	0.000 s
25	Then click on inbox	SKIPPED	0.000 s
26	And open record for Reject	SKIPPED	0.000 s
27	Then submit the Record	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on Product Master add button	SKIPPED	0.000 s
30	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
31	Then Enter Product Code for Return	SKIPPED	0.000 s
32	Then Enter Product Description	SKIPPED	0.000 s
33	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
34	Then verify the field Remarks	SKIPPED	0.000 s
35	Then click on save button	SKIPPED	0.000 s
36	Then validate Success pop up	SKIPPED	0.000 s
37	Then click on inbox	SKIPPED	0.000 s
38	And open record for Return	SKIPPED	0.000 s
39	Then submit the Record	SKIPPED	0.000 s
40	Then Logout from Maker	SKIPPED	0.001 s
41	And User Login as Checker	SKIPPED	0.000 s
42	Then click on Menu	SKIPPED	0.000 s
43	Then click on inbox	SKIPPED	0.000 s
44	Then Open the record to approve it	SKIPPED	0.000 s
45	Then approve the record	SKIPPED	0.000 s
46	Then Open the record to reject it	SKIPPED	0.000 s
47	Then reject the record	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
48	Then Open the record to return it	SKIPPED	0.000 s
49	Then return the record	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Loading...

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table lists five entries, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 106 entries' with pagination controls. The top navigation bar includes a menu icon, language (English), LOS, Azentio Software, a grid icon, a bell, a user profile (Puneet, 01-Sep-2023), and an export button.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	A	OK	R	Active
	98303249	HOMPUR 3	Housing Loan 3	R	Active
	98303275	8	ASDFG	R	Active
	98303249	HOMEXT	Housing Loan	R	Active
	98303275	ad01	ad011	R	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area is titled 'Product Master' and contains a form with fields: Product Group (dropdown menu showing 'Lending'), Product Code (text input), Product Description (dropdown menu showing 'Deposits'), Retail/Corporate (dropdown menu showing 'Select'), DM Code (dropdown menu showing 'Lending'), and Remarks (text area). The top navigation bar is identical to the previous screenshot.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'A', 'Product Description' with a text input field containing 'OK', and 'Retail/Corporate' with a dropdown menu showing 'Select'. There are also fields for 'DM Code' and 'Remarks'. The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'A', 'Product Description' with a text input field containing 'OK', and 'Retail/Corporate' with a dropdown menu showing 'Select'. There are also fields for 'DM Code' and 'Remarks'. The form is styled with a clean, modern design using white and light gray colors.

### (F) Product Master Retail Functionality

English
LOS
Azentio Software

Puneet  
01-Sep-2023

- [Asset Collateral Config](#)
- [Business Rules](#)
- [Corporate Masters](#)
- [Misc Config](#)
- [Other Masters](#)
- [Product Definitions](#)
- [Product Setup](#)
- [Asset Auto Master](#)
- [Asset CD Master](#)
- [Product master](#)
- [Sub Product Master](#)
- [Regulatory Product Defini...](#)
- [Project Setup](#)
- [Config Manager](#)

## Product Master

---

Product Group \*

Product Code \*

Product Description \*

OK

Retail/Corporate \*

Retail

Select

Corporate

Retail

DM Code

Remarks

## (F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
  - Asset Auto Master
  - Asset CD Master
  - Product master**
  - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group \*

Lending

Product Description \*

OK

DM Code

Remarks

Product Code \*

A

Retail/Corporate \*

Retail