


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	1 m 28.369 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	To verify the list view data in wareHouse master	13	13	0	0	1 m 28.361 s
	Warehouse Master						

(F)- check the functionality of the Warehouse Master

PASSED	DURATION - 1 m 28.369 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 5:49:38.373 pm	// 5:51:06.742 pm /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify the list view data in wareHouse master



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	19.515 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.258 s
	screenshot		
	DESCRIPTION OF THE PROPERTY OF		
2	Then user click on configurations Tab	PASSED	2.512 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.306 s
	screenshot		
	A TANABANA AND AND AND AND AND AND AND AND AND		


When user click Config Manager menu AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot And click on view button in ware house master AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot
4 And click on view button in ware house master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.170 s 0.660 s
4 And click on view button in ware house master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.170 s PASSED 0.660 s
4 And click on view button in ware house master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.170 s 0.660 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.660 s
screenshot
© 525710
5 And select the first approved record PASSED 4.648 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.116 s
screenshot
6 And Get The approved record data PASSED 2.231 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.578 s
screenshot
7 Then verify System should display the currect description value PASSED 0.190 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.431 s
screenshot

8 Then verify system should display the currect address value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then verify system should display the currect phone 1 value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.052 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.053 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.329 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify system should display the currect phone 1 value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AZENTO 0 ** 00 **		
9 Then verify system should display the currect phone 1 value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	8	Then verify system should display the currect address value	PASSED	0.057 s
9 Then verify system should display the currect phone 1 value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 Then verify system should display the currect fax value PASSED 0.052 s 0.620 s 0.053 s 0.053 s 0.053 s 0.053 s 0.053 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
9 Then verify system should display the currect phone 1 value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.052 s 0.620 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.620 s 0.620 s 0.620 s 0.620 s		** A SENTO*** *** ** ** ** ** ** ** ** ** ** ** *		
Screenshot 10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) Screenshot PASSED 0.053 s 0.329 s	9	Then verify system should display the currect phone 1 value	PASSED	0.052 s
10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.053 s 0.329 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.620 s
10 Then verify system should display the currect fax value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.053 s 0.329 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.329 s		** A SENTO** *** ** ** ** ** ** ** ** ** ** ** **		
screenshot	10	Then verify system should display the currect fax value	PASSED	0.053 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
## 20 20 20 20 20 20 20 20 20 20 20 20 20		screenshot		
11 Then verify system should display the currect mail value PASSED 0.050 s	11	Then verify system should display the currect mail value	PASSED	0.050 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.490 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.490 s
		screenshot		1


#	Step / Hook Details	Status	Duration
	# 200 00 00 00 00 00 00 00 00 00 00 00 00		
12	Then verify system should display the currect contarct person value	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
	# 200 00 00 00 00 00 00 00 00 00 00 00 00		
13	Then verify system should display the exact status of the record	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
	screenshot		




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

