

Cucumber Report

22-Sep-2022, 1:47:20 pm

Start : Sep 22, 1:46:53.012 pm

End : Sep 22, 1:47:19.166 pm

Duration : 26.154 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 4


FAILED - 1

SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	26.154 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	14	4	1	9	26.145 s



(F)- check the functionality of Customer address details


FAILED	DURATION - 26.154 s	Scenarios		Steps	
/ 1:46:53.012 pm // 1:47:19.166 pm /		Total - 1		Total - 14	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

(S)- verify system allow user to do a modification on already approved record

<div>FAILED</div> <div>DURATION - 26.145 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 1:46:53.021 pm // 1:47:19.166 pm /				
check the functionality of Customer address details				
@AT_CAD_07				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	15.997 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.431 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.482 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			
5	And user click on First record of Appdata Entry	FAILED	0.131 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e05e271f661ff92a49a6bd305bf078d, clickElement {id=b159a18a-e9a6-4466-abca-fc0d36f219a1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\NININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:51949}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51949/devtools..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4e05e271f661ff92a49a6bd305bf078d)] -> xpath: //td[contains(text(),'APPDATAENT')]/parent::tr/td/button[1]] Session ID: 4e05e271f661ff92a49a6bd305bf078d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.PersonalDetails_AppDataEntry.user_click_on_first_record_of_appdata_entry(PersonalDetails_AppDataEntry.java:88) at ?.user click on First record of Appdata Entry(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CustomAddress_details.feature:80) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.176 s
6	And user click on Additional customer Info Tab	SKIPPED	0.001 s
7	And user click on First Record Edit Icon	SKIPPED	0.000 s
8	And user click on Address Information First Record Edit Icon	SKIPPED	0.001 s
9	And user Modify the Address type field	SKIPPED	0.000 s
10	And user Modify the Address Status field	SKIPPED	0.000 s
11	And user Modify the Residential status field	SKIPPED	0.000 s
12	And user Modify the Province ID field	SKIPPED	0.000 s
13	And user Modify the City ID field	SKIPPED	0.000 s
14	And user click the update the button	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot displays the AZENTIO ONEBackup application. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main area is titled 'Inbox' and contains a table with 12 columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. The table lists 10 transactions, all with 'APP_CREATE' as the event code and 'HLW' as the workflow code. The 'Product' column shows 'AHL'. The 'Event Type' and 'Transaction Type' columns show 'T' for most entries, except for the second entry which shows 'M'. At the bottom right, there is a pagination bar showing 'Showing 1 to 10 of 96 entries' and a search bar with the text '506'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	606	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 10:58	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

This screenshot is identical to the one above, showing the AZENTIO ONEBackup application interface. The sidebar, table, and pagination bar are all the same. The search bar at the bottom right now contains the text '506'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	606	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 10:58	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

Action

Reference Id

Event Code

Stage Code

Role Code

Employee Name

Created Date

Workflow Code

Product

Workflow Type

Event Type

Transaction Type

506

APP_CREATE

APPDATENT

CPUEXEC

in02040

15-Sep-2022 10:22

HLW

AHL

T

Showing 1 to 1 of 1 entries

<<

<

1

>

>>

10