

Cucumber Report

Jul 25, 2022, 2:51:55 PM

Start : Jul 25, 2:51:35.806 PM

End : Jul 25, 2:51:54.532 PM

Duration : 18.726 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	18.726 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	9	1	3	18.720 s




(F)- Product Master Retail Functionality





FAILED	DURATION - 18.726 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 13 Pass - 9 Fail - 1 Skip - 3	
/ 2:51:35.806 PM // 2:51:54.532 PM /					


(S)- Product Master Retail Field validation

<div>FAILED</div> <div>DURATION - 18.720 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 2:51:35.812 PM // 2:51:54.532 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.692 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
			
10	Then verify functionality of the field DM Code	FAILED	0.156 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7039954158a90092ca94fb84d869d7c2, sendKeysToElement [id=701c2930-28a9-42e7-b0cc-98e5854b8103, value=[Ljava.lang.CharSequence;@6f07d414]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:		

#	Step / Hook Details	Status	Duration
	<pre>{chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:59041}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59041/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7039954158a90092ca94fb84d869d7c2)] -> xpath: //ion-row[1]/ion-col[6]//ion-item[1]/ion-input[1]/input] Session ID: 7039954158a90092ca94fb84d869d7c2</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_of_the_field_dm_code(ProductMaster_Retail.java:158) at ?.verify functionality of the field DM Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.114 s
11	Then verify the field Remarks	SKIPPED	0.000 s
12	Then verify the functionality of Back button	SKIPPED	0.000 s
13	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

🔧

📄

📁

🔍 Asset Collateral Config

🔍 Business Rules

🔍 Corporate Masters

🔍 Misc Config

🔍 Other Masters

🔍 Product Definitions

🔍 Product Setup

🔍 Regulatory Product Defini...

🔍 Project Setup

🔍 Config Manager


☰

📧 English ▾ LOS ▾ Azentio Software ▾

📱🔔👤 Puneet 01-Sep-2023


Product wise Analysis

Product-wise Amount Financed




Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed



Scheme wise Amount Financed



Powered by Metabase

⚙️

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

🔧

📄

📁

🔍 Asset Collateral Config

🔍 Business Rules

🔍 Corporate Masters

🔍 Misc Config

🔍 Other Masters

🔍 Product Definitions

🔍 Product Setup

🏠 Product master

🏠 Sub Product Master

🔍 Regulatory Product Defini...

🔍 Project Setup

🔍 Config Manager

☰

📧 English ▾ LOS ▾ Azentio Software ▾

📱🔔👤 Puneet 01-Sep-2023

⚙️

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table lists five entries, all with a status of 'Active'. At the bottom of the table, it says 'Showing 1 to 5 of 115 entries' with pagination controls. A search bar and an 'Export' button are in the top right of the table area. The top of the page has a header with a menu icon, language (English), location (LOS), software (Azentio Software), and user profile (Puneet, 01-Sep-2023).

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active
	98303249	PR01	Loan	R	Active
	98303249	A	OK	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area is titled 'Product Master' and contains a form with fields: Product Group (dropdown menu open showing options: Lending, Deposits, DM Code, Lending (selected), Trade, Treasury), Product Code (text input), Product Description (text input), Retail/Corporate (dropdown menu open showing options: Select), and Remarks (text area). The top of the page has the same header as the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has the following fields: Product Group (Lending), Product Code (PR10), Product Description (empty), Retail/Corporate (Select), DM Code (empty), and Remarks (empty). The form is titled 'Product Master' and has a back arrow and a save icon in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form with a modal open for 'Product Description'. The modal has a title bar with a checkmark and a close button. It contains five text input fields: Description(English) (Loan), Description(French) (d'accord), Description(German) (OK), and Description(Arabic) (موافق). The background form is partially visible, showing the same fields as the first screenshot. The left sidebar and top navigation bar are also visible.

(F) Product Master Retail Functionality

[illegible]

(F) Product Master Retail Functionality

AZENTIO™

☰

English ▼

LOS ▼

Azentio Software ▼

Puneet
01-Sep-2023

✕

⌵

📄

① Asset Collateral Config

② Business Rules

③ Corporate Masters

④ Misc Config

⑤ Other Masters

⑥ Product Definitions

⑦ Product Setup

- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

<

Product Master

+ ⓘ

Product Master

Product Group *

Lending▼

Product Description *

Loan🔒

DM Code

Product Code *

PR10

Retail/Corporate *

Retail▼

Remarks