

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	1 m 0.045 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Creation of Living Expenses Location record with invalid data	12	12	0	0	1 m 0.041 s
	Expenses Master						

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 1 m 0.045 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 5:49:16.140 pm	// 5:50:16.185 pm /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expenses Location record with invalid data



#	# Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	25.924 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.740 s
	screenshot		
	AMENTO THE PARTY AND THE PART		
2	Then user change Application Type as Los	PASSED	3.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		
	AMENTO THE PARTY AND THE PART		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) AFTER_	#	Step / Hook Details	Status	Duration
When user click Config Manager menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Soreenshot And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.764 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Soreenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.464 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.464 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.464 s PASSED O.464 s	3	Then user click on configurations Tab	PASSED	0.073 s
When user click Config Manager menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
4 When user click Conflig Manager menu PASSED 1.340 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.319 s 5 And user Goto the Temp view screen of living Expense PASSED 0.764 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.536 s And click on Pencil icon of existing record PASSED 0.464 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AF		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screensh		ATOMIC IN THE REPORT OF THE RE		
screenshot And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ATTER_STEP - stepdefinitions record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AND Navigate to Living expense location page PASSED 0.386 s	4	When user click Config Manager menu	PASSED	1.340 s
And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND Navigate to Living expense location page PASSED 0.386 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed passed 0.386 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 1.425 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AAND ANAVIgate to Living expense location page PASSED 0.386 s		- ASSENTIO		
screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) screenshot And Navigate to Living expense location page PASSED 0.386 s	5	And user Goto the Temp view screen of living Expense	PASSED	0.764 s
And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Navigate to Living expense location page PASSED O.386 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.536 s
And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Navigate to Living expense location page PASSED 1.425 s 1.425 s 0.464 s 0.464 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Navigate to Living expense location page O.464 s PASSED O.464 s PASSED O.386 s				
Screenshot And Navigate to Living expense location page PASSED 0.386 s	6	And click on Pencil icon of existing record	PASSED	1.425 s
7 And Navigate to Living expense location page 0.386 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.464 s
7 And Navigate to Living expense location page PASSED 0.386 s		screenshot		
	7	And Navigate to Living expense location page	PASSED	0.386 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.819 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.819 s
screenshot		screenshot		

	Duration
A ATSHTO The state of the stat	
8 And Click on Add icon of Living expense parameter PASSED	0.274 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.803 s
screenshot	
ASTORY AND STATE OF THE PROPERTY OF THE PROPER	
9 And user save the Record in Living Expensess PASSED	0.359 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.440 s
screenshot	
Activity Activi	
10 And user Pass the Exceldata value for Living Expense Loccation Invalid PASSED	0.084 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.227 s
screenshot	
ATRITO	
11 And user verify the Blank field in Living Expense PASSED	0.028 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.260 s
screenshot	


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ALTERIO SERVICE STATE OF THE S		
12	And Enter the Invalid value in Area factor income of Living expense parameter	PASSED	0.457 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	Control Contro		


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

