


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	55.345 s

SCENARIOS SUMMARY



-- 3 --


#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Creation of Living Expenses Location record with invalid data	12	9	1	2	55.340 s
	Expenses Master						

DETAILED SECTION

(F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 55.345 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 4:00:12.261 pm	// 4:01:07.606 pm /	Pass - 0	1	Pass - 9	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Creation of Living Expenses Location record with invalid data




#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	20.481 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
	CONTROL TO THE PROPERTY OF THE		
2	Then user change Application Type as Los	PASSED	2.940 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		
	CONTROL TO THE REPORT OF THE PARTY OF THE PA		


Then user click on configurations Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.39	
screenshot	6 s
SASSITIO CONTROL OF NO SECURITY OF	
4 When user click Config Manager menu PASSED 0.223	1 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.752	2 s
screenshot	
ADDITION The state of the stat	
5 And user Goto the Temp view screen of living Expense 0.680	0 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.644	4 s
screenshot	
AZENTO	
6 And click on Pencil icon of existing record PASSED 1.613	.1 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.809	9 s
screenshot	
According to the state of the s	
7 And Navigate to Living expense location page 0.198	8 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.748	8 s
screenshot	


#	Step / Hook Details	Status	Duration
	AZENTO INCLUDED TO THE PARTY OF THE PARTY O		
8	And Click on Add icon of Living expense parameter	PASSED	0.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.869 s
	screenshot		
	SOUTH STATE OF THE PARTY OF THE		
9	And user save the Record in Living Expensess	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
	AZENTO *** AND TO THE PROPERTY OF THE PROPERT		
10	And user verify the Blank field in Living Expense	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because "this.testData" is null at stepdefinitions.LivingExpense_Master.user_verify_the_blank_field_in_living_expense(LivingExpense_Master.java:776) at ?.user verify the Blank field in Living Expense(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:761) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
11	And user Pass the Exceldata value for Living Expense Loccation Invalid	SKIPPED	0.000 s
12	And Enter the Invalid value in Area factor income of Living expense parameter	SKIPPED	0.000 s

EXPANDED SECTION -- 7




EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

