

# Cucumber Report

Jul 20, 2022, 8:57:03 PM

Start : Jul 20, 8:56:38.520 PM

End : Jul 20, 8:57:02.579 PM

Duration : 24.059 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	24.059 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	15	4	1	10	24.056 s




**(F)- Check the functionality of product master**


<b>FAILED</b>	<b>DURATION - 24.059 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 4 Fail - 1 Skip - 10	
/ 8:56:38.520 PM // 8:57:02.579 PM /					

**(S)- Product Master - Modify records (approve, reject and return) at maker stage**

<div>FAILED</div> <div>DURATION - 24.056 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
<div>/ 8:56:38.523 PM // 8:57:02.579 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M5</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.755 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.487 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
			
5	Then click on edit button of record2 to modify	FAILED	5.354 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;span class="p-paginator-icon pi pi-angle-right"&gt;&lt;/span&gt; is not clickable at point (1249, 488). Other element would receive the click: &lt;div class="p-paginator-bottom p-paginator p-component ng-star-inserted" ng-reflect-ng-class="p-paginator p-component"&gt;...&lt;/div&gt; (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c8e729027e51342f86f11b5ed046598, clickElement {id=a57b8d56-4862-4510-9afc-4a9248d93999}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59293}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59293/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0c8e729027e51342f86f11b5ed046598)] -&gt; xpath: //kub-prime-table[1]/p-table[1]/div[1]/p-paginator[1]/div[1]/button[3]/span[1]] Session ID: 0c8e729027e51342f86f11b5ed046598</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration
	<div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor2.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.click_on_edit_button_of_record2_to_modify(ProductMaster_Retail.java:184) at ?.click on edit button of record2 to modify(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:22) * Not displayable characters are replaced by '?'. </div>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
	<div></div>		
6	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
7	Then click on inbox button	SKIPPED	0.000 s
8	And select the modified record from inbox to reject	SKIPPED	0.000 s
9	Then click on submit button	SKIPPED	0.000 s
10	And click on edit view of product master	SKIPPED	0.000 s
11	Then click on edit button of record3 to modify	SKIPPED	0.000 s
12	Then verify system allow user to save modified record with valid data	SKIPPED	0.001 s
13	Then click on inbox button	SKIPPED	0.000 s
14	And select the modified record from inbox to return	SKIPPED	0.000 s
15	Then click on submit button	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

**AZENTIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

**Product master**

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Product Master

+

Search

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
<div><div></div><div></div></div>	98303249	123		C	In-active	
<div><div></div><div></div></div>	98303277	5261		R	In-active	
<div><div></div><div></div></div>	98303249	741		C	In-active	

Showing 136 to 138 of 138 entries

<<

<

24

25

26

27

28

>

>>

5