

Cucumber Report

Aug 12, 2022, 5:10:09 PM

Start : Aug 12, 5:09:38.032 PM

End : Aug 12, 5:10:07.317 PM

Duration : 29.285 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 17







#	Feature Name	T	P	F	S	Duration
1	<u>UnderWriter Offset Control Functionality</u>	1	0	1	0	29.285 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>UnderWriter Offset Control Functionality</u>	<u>System should display the proper validation post entering the invalid data and clicking on save button</u>	22	4	1	17	29.281 s




(F)- UnderWriter Offset Control Functionality


FAILED	DURATION - 29.285 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 4 Fail - 1 Skip - 17	
/ 5:09:38.032 PM // 5:10:07.317 PM /					

(S)- System should display the proper validation post entering the invalid data and clicking on save button

<div>FAILED</div> <div>DURATION - 29.281 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 17</div>	<div></div>
<div>/ 5:09:38.036 PM // 5:10:07.317 PM /</div>				
<div>UnderWriter Offset Control Functionality</div>				
<div>@UnderWriter_Offset_Control</div>				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.435 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
			
2	And User Login as maker	PASSED	5.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on the Business Rule	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
			
4	Then click on the UnderWriter Offset Control eye icon	PASSED	1.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot		
			
5	Then Modify the UnderWriter Offset Control approved record	FAILED	3.017 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [260aca27794385ee2741713843fd2bb5, sendKeysToElement {id=ee8a4094-8d33-4264-8a91-9691ad125113, value=[Ljava.lang.CharSequence;@33bdd01}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52232}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52232/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (260aca27794385ee2741713843fd2bb5)] -> xpath: //ion-row[1]/ion-col[2]/digital-text-box[1]/ion-item[1]/ion-input[1]]</p> <p>Session ID: 260aca27794385ee2741713843fd2bb5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.UnderWriter_Offset_Control.modify_the_underwriter_offset_control_approved_record(UnderWriter_Offset_Control.java:54) at ?.Modify the UnderWriter Offset Control approved record(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/UnderWriter_Offset_Control.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.104 s
6	Then save the record	SKIPPED	0.000 s
7	Then click on the inbox	SKIPPED	0.000 s
8	And search UnderWriter Offset Control record from inbox	SKIPPED	0.000 s
9	Then maker user open the UnderWriter record from inbox	SKIPPED	0.000 s
10	And maker user submit the UnderWriter record	SKIPPED	0.000 s
11	Then user logout from the application	SKIPPED	0.000 s
12	And User Login as Checker	SKIPPED	0.000 s
13	Then click on the inbox	SKIPPED	0.000 s
14	And search UnderWriter Offset Control record from inbox	SKIPPED	0.001 s
15	Then checker open the record from inbox	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
16	Then checker approve the record	SKIPPED	0.000 s
17	Then user logout from the application	SKIPPED	0.001 s
18	And User Login as maker	SKIPPED	0.000 s
19	Then click on the Business Rule	SKIPPED	0.000 s
20	Then click on the UnderWriter Offset Control eye icon	SKIPPED	0.000 s
21	Then Validate the aapproved record	SKIPPED	0.000 s
22	Then user logout from the application	SKIPPED	0.000 s


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) System should display the proper validation post entering the invalid data and clicking on save button</u></p>	
<p><u>(F) UnderWriter Offset Control Functionality</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) System should display the proper validation post entering the invalid data and clicking on save button</u></p>	
<p><u>(F) UnderWriter Offset Control Functionality</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button


(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

The screenshot displays the Azentio ONEBanking interface. The top navigation bar includes the Azentio logo, a search bar, and user profile information. The left sidebar contains a menu with categories like Dashboard, Configurations, Asset Collateral Config, Business Rules, UnderwriterOffsetControl, Approval Reviewer Level Matrix, Checklist Master, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main content area is titled 'Underwriter Offset Control' and features two input fields: 'Minimum Value' with the value '55555' and 'Maximum Value' with the value '55555555'. A 'Status' toggle switch is also present, currently turned on.