


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	0	1	0	29.801 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	verify while modification system enters the invalid data	9	8	1	0	29.797 s
	Warehouse Master	(Invalid data types)					

DETAILED SECTION

(F)- check the functionality of the Warehouse Master

FAILED	DURATION - 29.801 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 4:02:54.180 pn	n // 4:03:23.981 pm /	Pass - 0	1	Pass - 8	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- verify while modification system enters the invalid data (Invalid data types)



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	13.829 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.492 s
	screenshot		
	ASENTS # # 300 000 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
2	Then user click on configurations Tab	PASSED	0.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.647 s
	screenshot		
	AZENTO # # 100 100 100 100 100 100 100 100 100		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s	3	When user click Config Manager menu	PASSED	0.132 s
And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s			PASSED	0.480 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot And user click on First Record Edit icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.579 s PASSED O.421 s PASSED O.592 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed O.592 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed O.592 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.733 s PASSED O.733 s PASSED O.735 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.225 s				
screenshot And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on First Record Edit icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.579 s O.421 s O.579 s O.421 s O.592 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.733 s O.733 s O.734 s And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.725 s	4	And user click list view icon of Warehouse Master	PASSED	0.258 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s			PASSED	0.523 s
Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And user click on First Record Edit icon Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 3.742 s Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 3.742 s		A SENTO		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTION And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s	5		DASSED	0.579 s
screenshot And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s		·		
And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s			TASSED	0.4213
6 And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.592 s 0.733 s		SENTO II		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.742 s PASSED 0.225 s				
Screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s	6		PASSED	
7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.733 s
7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s		A SECTION		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s	7	And user Enter the value in description and Modify it	PASSED	3.742 s
screenshot				_
		screenshot		


#	Step / Hook Details	Status	Duration
	# 100 100 100 100 100 100 100 100 100 10		
8	And user Enter the value in Address field and Modify it	PASSED	0.847 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
	TO ADDITION OF THE WORLD SHEET STATES AND THE WORLD SHEET SH		
9	And user Enter Invalid Data in warehouse Master	FAILED	0.749 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "xpath", "selector": "//ion-badge[contains(text(), Maximum 50 characters are allowed')]" (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/f/no_such_element Build info: version: "d.O."-c.", revision: "bc51:bcbd's System info: host: "INMUVADP014547", ip: '10.1.47.111', os.name: "Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [2916bal40/fbf8fe790/0ed9cd3b7be47, findElement (using=xpath, value=//ion-badge[contains(text(), "Maximum 50 characters are allowed")]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: (chromedriverVersion: 105.0.5195.52 (412c9se51883, userDataDir: CXUsers\NINDC-1\AppDataL}, goog:chromeOptions: (debuggerAddress: localhost:54257), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54257/devtoo, se:cdpVersion: 106.0.5249.119, set\/indowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2916baf40fb8fe790f0ed9cd3b7be47 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.c		

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.WareHouseMaster.user_enter_invalid_data_in_warehouse_master(WareHouseMaster.java:714) at ?.user Enter Invalid Data in warehouse Master(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:198) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
	# # # # # # # # # # # # # # # # # # #		

EXPANDED SECTION -- 8 --






EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

