Cucumber Report

Aug 22, 2022, 9:44:46 PM

Start : Aug 22, 9:44:29.533 PM	End : Aug 22, 9:44:45.791 PM	Duration : 16.258 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 5 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	IncentiveMaster Functionality	1	1	0	0	16.258 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	IncentiveMaster Functionality	To verify user is able to add new Incentive Master record in the system by entering valid data	5	5	0	0	16.254 s

(F)- IncentiveMaster Functionality

PASSED	DURATION - 16.258 s	Scenarios		Steps	
/ 9:44:29.533 PM // 9:44:45.791 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 5 Pass - 5 Fail - 0 Skip - 0	

(S)- To verify user is able to add new Incentive Master record in the system by entering valid data

PASSED	DURATION - 16.254 s		Steps	
/ 9:44:29.537 PM // 9:44:45.791 PM /			Total - 5 Pass - 5 Fail - 0 Skip - 0	
IncentiveMaster Functionality				
@M2 @IncentiveMaster				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.535 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot  +		
2	And User Login as maker	PASSED	4.763 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Misc Config	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
			
4	Then click on Incentive Master eye icon	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
5	Then click on Incentive Master add button	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify user is able to add new Incentive Master record in the system by entering valid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify user is able to add new Incentive Master record in the system by entering valid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify user is able to add new Incentive Master record in the system by entering valid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify user is able to add new Incentive Master record in the system by entering valid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify user is able to add new Incentive Master record in the system by entering valid data

(F) IncentiveMaster Functionality