
Duration: 5.774 s Start: Dec 01, 6:21:26.430 pm End: Dec 01, 6:21:32.204 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 24 24 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Beneficiary Details In Application Creation	1	0	1	0	5.774 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of Beneficiary	To Verify System should allow user to do a modification on	24	0	0	24	5.766 s
	Details In Application Creation	already saved record					

DETAILED SECTION

(F)- Testing the functionalities of Beneficiary Details In Application Creation

FAILED	DURATION - 5.774 s	Scenarios		Steps	
		Total - 1		Total - 24	
/ 6:21:26.430 p	om // 6:21:32.204 pm /	Pass - 0	1	Pass - 0	24
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 24	

(S)- To Verify System should allow user to do a modification on already saved record



E - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	5.704 s
		0 0 . 0
qa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This of ChromeDriver only supports Chrome version 105 Current browser version is 99.0.4844.82 with binary path C:\Program ogle\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: 115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. Driver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], capabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) openqa.selenium.remote.RemoteWebDriver.		
00 11 0r a or or or or or	ple\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: L5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. iver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], pabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] penqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) penqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) penqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) penqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) penqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) penqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) penqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) penqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166)	ple\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: L5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. iver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, pabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}}, penqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) penqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) penqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) penqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) penqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) penqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) penqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166) penqa.selenium.chromiumDriver.sinit>(ChromiumDriver.sinit>(ChromiumDriver.java:89)

DETAILED SECTION -- 5 -

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)</init>		
1	Given user login as a cent bank uls application	SKIPPED	0.001 s
2	When user click the inbox icon for application new app	SKIPPED	0.000 s
3	And Updating Testdata Id for Application Beneficiary Details	SKIPPED	0.001 s
4	And User search Disbursement Maker Stage in inbox list view	SKIPPED	0.000 s
5	And User click the first edit icon of Disbursement Maker Stage record	SKIPPED	0.000 s
6	And user click the Beneficiary details tab	SKIPPED	0.001 s
7	And User click the first edit icon of beneficiary details list data	SKIPPED	0.000 s
8	And User Select and Update Facility Application id	SKIPPED	0.001 s
9	And User Update Beneficiary Name	SKIPPED	0.000 s
10	And User Select and Update Beneficiary Type	SKIPPED	0.000 s
11	And User Update Beneficiary KYC	SKIPPED	0.000 s
12	And User Update Beneficiary Address	SKIPPED	0.000 s
13	And User Select and Update Account Type	SKIPPED	0.000 s
14	And User Update IBAN or Account Number	SKIPPED	0.000 s
15	And User Select and Update MICR Type	SKIPPED	0.001 s
16	And User Select and Update Beneficiary MICR Code	SKIPPED	0.000 s
17	And User Select and Update Bank Code	SKIPPED	0.001 s
18	And User Select and Update Branch Name	SKIPPED	0.000 s
19	And User Update IFSC Code	SKIPPED	0.000 s
20	And User Select and Update Payment Type	SKIPPED	0.000 s
21	And User Select and Update Payment Mode	SKIPPED	0.000 s
22	And User Update Beneficiary Email	SKIPPED	0.000 s
23	And User Update Remarks in Beneficiary Details	SKIPPED	0.001 s
24	And User upadte and save the Beneficiary Details record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		