Cucumber Report

Start : Jul 23, 2:17:14.349 AM	*End : Jul 23, 2:17:38.448 AM*	*Duration : 24.099 s*
Features	Scenarios	Steps

PASSED - 1	PASSED - 1	PASSED - 12
FAILED - 0	FAILED - 0	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

1

1

12

40 50 60
30 Pass % 70
20 80
10 90
0 100
100 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
100 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
100 %

| #	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	24.099 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	System should not allow user to save the records in system with invalid data	12	12	0	0	24.096 s

(F)- Product Master Retail Functionality

PASSED	DURATION - 24.099 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	12
/ 2:17:14.349 AM // 2:17:38.448 AM /					

## (S)- System should not allow user to save the records in system with invalid data

PASSED	DURATION - 24.096 s		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	12
/ 2:17:14.352 AM // 2:17:38.448 AM /				
Product Master Retail Functionality				
@ProductMaster_Retail_invalid				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.635 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot 		
4	Then click on Product Master eye icon	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot 		
5	Then click on Product Master add button	PASSED	1.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot 		
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify functionality and asterik mark of the field Product Code	PASSED	2.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
9	Then verify functionality of the field DM Code	PASSED	1.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
10	Then verify the field Remarks	PASSED	2.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on save button	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot 		
12	Then validate the impact of any mandatory field blank	PASSED	0.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾   LOS ▾   Azentio Software ▾   Puneet 01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾   LOS ▾   Azentio Software ▾   Puneet 01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality


(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

English ▾   LOS ▾   Azentio Software ▾   Puneet 01-Sep-2023

← **Product Master**

Product Master

| Product Group * | Product Code * |
| Lending ▾ | PR11 |

| Product Description * | Retail/Corporate * |
| | Select ▾ |

DM Code

Remarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save
the records in system with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

English ▾   LOS ▾   Azentio Software ▾   Puneet 01-Sep-2023

← **Product Master**

Product Master

| Product Group * | Product Code * |
| Lending ▾ | PR11 |

| Product Description * | Retail/Corporate * |
| | Retail ▾ |

| Select |
| Corporate |
| Retail ✓ |

DM Code

Remarks

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should not allow user to save the records in system with invalid data

(F) Product Master Retail Functionality