Cucumber Report

| Start : Aug 02, 2:10:15.560 PM	End : Aug 02, 2:10:46.133 PM	Duration : 30.573 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	To verify under writer offset control module fields and creation and updation	1	0	1	0	30.573 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify under writer offset control module fields and creation and updation	To verify maker user can able to create the record with invalid input	10	9	1	0	30.570 s

(F)- To verify under writer offset control module fields and creation and updation

FAILED	DURATION - 30.573 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 2:10:15.560 PM // 2:10:46.133 PM /		Pass - 0	**1**	Pass - 9	**10**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- To verify maker user can able to create the record with invalid input

| FAILED	DURATION - 30.570 s		Steps	
/ 2:10:15.563 PM // 2:10:46.133 PM /			Total - 10	
To verify under writer offset control module fields and creation and updation			Pass - 9	**10**
			Fail - 1	
@AT_UOC_T005			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to ULS application URL	PASSED	6.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.506 s
	screenshot		
2	Then login with valid maker credentials	PASSED	5.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click on business rules main module	PASSED	0.406 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.869 s
	screenshot		
4	And click on under writer off set control view button	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.859 s
	screenshot		
5	Then click on add button to create under writer off set record	PASSED	0.600 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		
6	And click on save button before entering mendatory details	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify system should show the validation for minimum and maximum value mendatory fields	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
8	And fill the alphabets in minimum and maximum value input box	PASSED	0.528 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
9	Then click on save button after enter the alphabet input	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.886 s
	screenshot		
10	Then verify system should not allow user to save the record	FAILED	0.027 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='toast-container']//div[@role='alert']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [60e039e8ca99fd760c7b285a6853e51b, findElement {using=xpath, value=//div[@id='toast-container']//div[@role='alert']}]		

#	Step / Hook Details	Status	Duration

	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64627}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64627/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 60e039e8ca99fd760c7b285a6853e51b
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	   at stepdefinitions.ULS_UnderWriterOffSetControl.verify_system_should_not_allow_user_to_save_the_record(ULS_UnderWriterOffSetControl.java:363)
	   at ?.verify system should not allow user to save the record(file:///C:/Users/inindc00076/git/KULS_Anandh/AzentioULSFramework_Anandh/src/test/java/features/ULS_UnderWriterOffSetControl.feature:108)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.222 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker user can able to create the record with invalid input

(F) To verify under writer offset control module fields and creation and updation

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker user can able to create the record with invalid input

(F) To verify under writer offset control module fields and creation and updation

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create the record with invalid input

(F) To verify under writer offset control
module fields and creation and updation

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create the record with invalid input

(F) To verify under writer offset control
module fields and creation and updation

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to create the record with invalid input

(F) To verify under writer offset control module fields and creation and updation

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to create the record with invalid input

(F) To verify under writer offset control module fields and creation and updation

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker user can able to create the record with invalid input	
(F) To verify under writer offset control module fields and creation and updation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker user can able to create the record with invalid input	
(F) To verify under writer offset control module fields and creation and updation	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create the record with invalid input

(F) To verify under writer offset control
module fields and creation and updation

AZENTIO™

Asset Collateral Config
Business Rules
UnderwriterOffs etControl
Approval Reviewer Level Matrix
Checklist Master
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager

English ▾   LOS ▾   Azentio Software ▾

Puneet
01-Sep-2023

Underwriter Offset Control

Minimum Value *
abcd

Maximum Value *
abcd

Internal Server Error

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create the record with invalid input

(F) To verify under writer offset control
module fields and creation and updation

AZENTIO™

Asset Collateral Config
Business Rules
UnderwriterOffs etControl
Approval Reviewer Level Matrix
Checklist Master
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager

English ▾   LOS ▾   Azentio Software ▾

Puneet
01-Sep-2023

Underwriter Offset Control

Minimum Value *
abcd

Maximum Value *
abcd

Internal Server Error