Cucumber Report

| Start : Nov 15, 11:05:00.900 am	End : Nov 15, 11:05:27.194 am	Duration : 26.294 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 17

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	26.294 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	To verify user can able to update the living expense with invalid inputs	24	6	1	17	26.289 s

(F)- Check the functionality of Living Expenses Master

| *FAILED*	*DURATION - 26.294 s*	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 24 Pass - 6 Fail - 1 Skip - 17	24
/ 11:05:00.900 am // 11:05:27.194 am /					

(S)- To verify user can able to update the living expense with invalid inputs

FAILED	*DURATION - 26.289 s*		Steps Total - 24 Pass - 6 Fail - 1 Skip - 17	24
/ 11:05:00.905 am // 11:05:27.194 am /				
Check the functionality of Living Expenses Master				
@AT_LE_018				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	14.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s
	screenshot		
	+		
2	Then user click on configurations Tab	PASSED	0.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		
4	And user Goto the Temp view screen of living Expense	PASSED	0.594 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.589 s
	screenshot		
5	And select the approved record of living expense	PASSED	0.769 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		
6	And go to living expese parameter tab	PASSED	0.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
7	And user click on Add Icon for Living Expenses	FAILED	1.146 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-fxa-c314="" pbutton="" pripple="" label="" icon="pi pi-plus" type="button" tooltipposition="top" class="p-element p-button-sm p-button-info p-button-raised grid-Addbtn		

#	Step / Hook Details	Status	Duration

	p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-label="" ng-reflect-icon="pi pi-plus" ng-reflect-tooltip-position="top" ng-reflect-text="Add">...</button> is not clickable at point (290, 139). Other element would receive the click: <ion-content _ngcontent-fxa-c715="" kub-scrollbar="" class="md content-ltr hydrated" style="--offset-top:0px; --offset-bottom:0px;">...</ion-content> (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aa38e3e0f58e734187942475ec0409d0, clickElement {id=75a885fc-34f8-4a0a-887a-10146fdf4376}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60876}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60876/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (aa38e3e0f58e734187942475ec0409d0)] -> xpath: //button[@ng-reflect-text='Add']] Session ID: aa38e3e0f58e734187942475ec0409d0
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.LivingExpense_Master.user_click_on_add_icon_for_living_expenses(LivingExpense_Master.java:63)
	    at ?.user click on Add Icon for Living Expenses(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:492)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user Pass the Exceldata value for ParaMeter Creation	SKIPPED	0.001 s
9	And user Enter value in Description and verify it	SKIPPED	0.000 s
10	And user select the code value	SKIPPED	0.000 s
11	And user Enter the value	SKIPPED	0.000 s
12	And user save the Record in Living Expenses	SKIPPED	0.000 s
13	And user Goto the Temp view screen of living Expense	SKIPPED	0.000 s
14	And select the approved record of living expense	SKIPPED	0.000 s
15	And go to living expese parameter tab	SKIPPED	0.000 s
16	And select the living expense parameter approved record	SKIPPED	0.000 s
17	And user Pass the Exceldata value for Update Invalid input	SKIPPED	0.000 s
18	And clear all the input fields of living expense approved record	SKIPPED	0.000 s
19	And click on save button in living expense record	SKIPPED	0.000 s
20	Then verify system should through the validation for blank field	SKIPPED	0.000 s
21	And enter invalid special charecter in input box	SKIPPED	0.000 s
22	Then verify system should through the validation in living expense parameter screen	SKIPPED	0.000 s
23	And click on back button in living expense parameter screen	SKIPPED	0.000 s
24	Then verify living expense parameter screen should get navigate to previous screen	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the living expense with invalid inputs

(F) Check the functionality of Living Expenses Master

AZENTIO
ONEBanking

15-Nov-2022

Engl... | LOS | Aze...

Search the menu

List of Living Expense Model

Dashboard

Configurations

Action	Description ⇅	Rule ID ⇅	Effective Date ⇅	Status ⇅
🖊 👁	Expenses	98303254	2023-08-02	Active
🖊 👁	Expenses	98303254	2023-08-02	Active
🖊 👁	Expenses	98303254	2023-08-02	Active
🖊 👁	Expenses	98303254	2023-08-02	Active
🖊 👁	Expenses	98303254	2023-08-02	Active

Project Master
Notification Master
Report Master
Target Master
Business Division Master
Approval Reviewer Level Matrix
Income Group Defination
Facility Type
NPA Identification
Classification Master
Living Expense
Transactions
Reports

Showing 1 to 5 of 28 entries   « ‹ 1 2 3 4 5 › » 5 ⌄

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the living expense with invalid inputs

(F) Check the functionality of Living Expenses Master

AZENTIO
ONEBanking

15-Nov-2022

Engl... | LOS | Aze...

Search the menu

Living Expense Definition   Living Expense Parameter   Living Expense Location

Dashboard

Configurations

Project Master
Notification Master
Report Master
Target Master
Business Division Master
Approval Reviewer Level Matrix
Income Group Defination
Facility Type
NPA Identification
Classification Master
Living Expense
Transactions
Reports

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the living expense with invalid inputs

(F) Check the functionality of Living Expenses Master