


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | check the functionality of the Warehouse Master | 1 | 0 | 1 | 0 | 50.951 s |

SCENARIOS SUMMARY

-- 3 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------|--|---|---|---|---|----------|
| 1 | check the functionality of the | verify while modification system enters the invalid data | 9 | 8 | 1 | 0 | 50.943 s |
| | Warehouse Master | (Invalid data types) | | | | | |

DETAILED SECTION

(F)- check the functionality of the Warehouse Master

| FAILED | DURATION - 50.951 s | Scenarios | | Steps | |
|-----------------|------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 9 | |
| / 5:26:12.153 p | om // 5:27:03.104 pm / | Pass - 0 | 1 | Pass - 8 | 9 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- verify while modification system enters the invalid data (Invalid data types)




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user log in as uls application maker | PASSED | 19.375 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.530 s |
| | screenshot | | |
| | # 2 00 00 00 00 00 00 00 00 00 00 00 00 0 | | |
| 2 | Then user click on configurations Tab | PASSED | 0.267 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.460 s |
| | screenshot | | |
| | DESCRIPTION OF THE SECOND SECO | | |

| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AAI user Enter the value in description and Modify it AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 6. 3.16 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 7. And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 9. 245 SED 0. 247 SED 0. 247 SED 0. 248 S | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AND User Click on First Record Edit icon PASSED 0.370 s PASSED 0.309 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AND User Enter the value in description and Modify it AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.316 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | 3 | When user click Config Manager menu | PASSED | 0.267 s |
| And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.370 s PASSED 0.370 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s 0.390 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.447 s |
| 4 And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.370 s | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot And user click on First Record Edit icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 6.316 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | | | | |
| screenshot And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGUST AND USER Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.316 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | 4 | And user click list view icon of Warehouse Master | PASSED | 1.169 s |
| And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.370 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.38 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.940 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.316 s PASSED 0.210 s | | screenshot | | |
| And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.316 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | | # 200 000 000 E | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.448 s 0.448 s | 5 | | PASSED | 1 093 s |
| screenshot And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.316 s PASSED 0.210 s | | | | |
| And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.316 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.316 s | | | | 0.1103 |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.309 s 6.316 s PASSED 0.210 s | | ### A 2 (2007) | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.309 s 6.316 s PASSED 0.210 s | 6 | And user click on First Record Edit icon | PASSED | 0.370 s |
| Screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | | | | |
| 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | | | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | | ## 2 CENTED ## 1 | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s | 7 | And user Enter the value in description and Modify it | PASSED | 6.316 s |
| | | | | |
| screenshot | | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | AZENTO | | |
| 8 | And user Enter the value in Address field and Modify it | PASSED | 1.074 s |
| | AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.214 s |
| | screenshot | 1 | |
| | Screenshot | - | |
| | Value (1) A Company (1) A Comp | | |
| 9 | And user Enter Invalid Data in warehouse Master | FAILED | 1.305 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "xpath", "selector": "/lion-badge[contains(text(), Maximum allowed length is 50")]" { | | |

DETAILED SECTION -- 7 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.WareHouseMaster.user_enter_invalid_data_in_warehouse_master(WareHouseMaster.java:714) at ?.user Enter Invalid Data in warehouse Master(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:198) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.999 s |
| | screenshot | | |
| | SECURIO SE | | |




-- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

