Cucumber Report

| **Start : Jul 26, 1:16:32.411 PM**	**End : Jul 26, 1:17:20.143 PM**	**Duration : 47.732 s**
Features	Scenarios	Steps

| PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 21 FAILED - 1 SKIPPED - 9

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	47.732 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Reject the record	31	21	1	9	47.728 s

(F)- Product Master Retail Functionality

| FAILED	DURATION - 47.732 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 31 Pass - 21 Fail - 1 Skip - 9
/ 1:16:32.411 PM // 1:17:20.143 PM /			

(S)- verify Checker user is able to Reject the record

FAILED	DURATION - 47.728 s		Steps Total - 31 Pass - 21 Fail - 1 Skip - 9
/ 1:16:32.415 PM // 1:17:20.143 PM /			
Product Master Retail Functionality			
@ProductMaster_Retail_Reject			

| #	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.697 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot 		
4	Then click on Product Master eye icon	PASSED	0.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot 		
5	Then click on Product Master add button	PASSED	1.635 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot 		
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Enter Product Code for reject	PASSED	0.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
8	Then Enter Product Description	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
10	Then verify the field Remarks	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on save button	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
12	Then validate Success pop up	PASSED	5.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
13	Then click on inbox	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
14	Then click on search icon of record list	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then search Project Master Retail record	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
16	And open record for Approve	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
17	Then submit the Record	PASSED	9.675 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
18	Then user logout from the application	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
19	And User Login as Checker	PASSED	6.780 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot +		
20	Then click on Menu	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot +		
21	Then click on inbox	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot +		
22	Then Open the record to reject it	FAILED	1.029 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]/../../td/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7554c7e7f008df15a6a08c8f49263868, findElement {using=xpath,		

#	Step / Hook Details	Status	Duration

	value=//span[contains(text(),'null')]/../../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63023}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63023/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7554c7e7f008df15a6a08c8f49263868
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at stepdefinitions.ProductMaster_Retail.open_the_record_to_reject_it(ProductMaster_Retail.java:501)
	   at ?.Open the record to reject it(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:134)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	screenshot 		
23	Then reject the record	SKIPPED	0.000 s
24	Then user logout from the application	SKIPPED	0.000 s
25	Given User launch the kuls application	SKIPPED	0.000 s
26	And User Login as maker	SKIPPED	0.000 s
27	Then click on Product Setup	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
29	Then click on search icon	SKIPPED	0.000 s
30	Then search Rejected record	SKIPPED	0.000 s
31	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) verify Checker user is able to Reject the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Reject
the record

(F) Product Master Retail Functionality

	English ⌄	No Module Mapped ⌄	Azentio Software ⌄			Sagar 01-Sep-2023

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5858	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 13:16	TSW	
	5852	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 12:55	TSW	
	5849	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 12:44	TSW	
	5844	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 12:17	TSW	
	5840	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 11:49	TSW	
	5835	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 10:22	TSW	
	5823	SUB_PRD_MAST	CHECKER	LOSCHK	in01589	26-Jul-2022 9:35	TSW	
	5818	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:44	TSW	
	5812	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:40	TSW	
	5806	PRODUCT_MST	CHECKER	LOSCHK	in01589	26-Jul-2022 0:38	TSW	