


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	1 m 10.158 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	Creation of Warehouse Master record_ Add Template	19	19	0	0	1 m 10.155 s
	Warehouse Master						

(F)- check the functionality of the Warehouse Master

PASSED	DURATION - 1 m 10.158 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 2:15:09.019 pm	// 2:16:19.177 pm /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Warehouse Master record_ Add Template

PASSED	DURATION - 1 m 10.155 s							-			-		-		-		- 1	Steps			
/ 2:15:09.022	2 pm // 2:16:19.177 pm /	15 -							1					1		1		Total - 19			
	· · · · · · · · · · · · · · · · · · ·	10 -							-									Pass - 19		19	
check the fund	ctionality of the Warehouse Master	5 -									-						- ;	Fail - 0			,
@AT_WHM_	T003_Return_Creation	0 -					<u> </u>	<u> </u>	<u> </u>		<u>-</u>	<u></u>	<u> </u>	<u>+</u>	<u>+</u>	<u>+</u>	<u> </u>	Skip - 0	\ \ \		
			,	1 2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	17.603 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.540 s
	screenshot		
	A SERVICE IF NO		
2	Then user click on configurations Tab	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot		
	A SERVICE # F NO NO NO NO TO THE PROPERTY OF T		

30 When user click Config Manager menu PASSED 0.270 s 47 AFTER_STEP - step definitions, HooksClass, addScreenshot (io.cucumber.java.Scenario) PASSED 0.414 s 40 And user click list view icon of Warehouse Master PASSED 0.304 s 41 AFTER_STEP - step definitions, HooksClass, addScreenshot (io.cucumber.java.Scenario) PASSED 0.304 s 52 And user click on Add icon for Warehouse master PASSED 2.364 s 53 AFTER_STEP - step definitions, HooksClass, addScreenshot (io.cucumber.java.Scenario) PASSED 2.364 s 54 After STEP - step definitions, HooksClass, addScreenshot (io.cucumber.java.Scenario) PASSED 0.705 s 55 And user Enter the value in description and verify it PASSED 4.160 s 56 And user Enter the value in description and verify it PASSED 0.161 s 56 Are TER_STEP - step definitions, HooksClass, addScreenshot (io.cucumber.java.Scenario) PASSED 0.644 s 57 And user Enter the value to Address field and verify it PASSED 0.337 s	#	Step / Hook Details	Status	Duration
screenshot And user click list view icon of Warehouse Master After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot After Step - stepdefinitions HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot After Step - stepdefinitions HooksClass. addScreenshot(io.cucumber.java.Scenario) After Step - stepdefinitions. Hook	3	When user click Config Manager menu	PASSED	0.270 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.644 s PASSED O.337 s		screenshot	PASSED	0.414 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.644 s PASSED O.337 s				
screenshot And user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Add user Enter the value in description and verify it AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.644 s PASSED O.337 s	4	And user click list view icon of Warehouse Master	PASSED	0.304 s
Add user click on Add icon for Warehouse master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.644 s PASSED O.644 s PASSED O.337 s			PASSED	2.053 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user Enter the value to Address field and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.644 s PASSED 0.337 s				
screenshot And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user Enter the value to Address field and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.644 s PASSED O.6337 s	5	And user click on Add icon for Warehouse master	PASSED	2.364 s
And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user Enter the value to Address field and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161 s PASSED 0.644 s PASSED 0.337 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.705 s
6 And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user Enter the value to Address field and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.644 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s		screenshot		
6 And user Enter the value in description and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user Enter the value to Address field and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.644 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s		ASSITIO		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user Enter the value to Address field and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161 s PASSED 0.644 s PASSED 0.337 s				
7 And user Enter the value to Address field and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.644 s 0.337 s	6	And user Enter the value in description and verify it	PASSED	4.160 s
7 And user Enter the value to Address field and verify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.644 s O.337 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s		AZENTO		
	7	And user Enter the value to Address field and verify it	PASSED	0.644 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
		screenshot		

#	Step / Hook Details	Status	Duration
	AZENTO		
8	And user Enter the value in country field and verify it	PASSED	1.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.476 s
	screenshot		
	ASSTITO # # 100 100 100 \$ F 00 100 100		
9	And user Enter the value in state field and verify it	PASSED	0.719 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.810 s
	screenshot		
	## ASSTTO ## ## ## ## ## ## ## ## ## ## ## ## ##		
10	And user Enter the value in Location field and verify it	PASSED	0.822 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.475 s
	screenshot]	
	AZENTO # # 100 100 100 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
11	And user Enter the value in Zip code field and verify it	PASSED	0.742 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		


#	Step / Hook Details	Status	Duration
	## 100 100		
12	And user Enter the value in Phone field and verify it	PASSED	0.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
	# 100 100 100 100 100 100 100 100 100 10		
13	And user Enter the value in Fax field and verify it	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
	# 1 400 300 300 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
14	And user Enter the value to Email field and verify it	PASSED	0.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
	A CANATO B		
15	And user Enter the value in Contact person field and verify it	PASSED	0.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.118 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# 1 (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)		
16	And user save the warehouse master Record	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.310 s
	screenshot		
	# 80 80 80 80 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
17	And user goto the Maker Inbox and store the Referance ID	PASSED	6.560 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
	## ## ## ## ## ## ## ## ## ## ## ## ##		
18	Then user Click on Action Icon	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot]	
	## 200 00 00 00 00 00 00 00 00 00 00 00 00		
19	And user verify the submit button and submit the Record from Maker stage	PASSED	9.045 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	ACRITICO		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --





EXPANDED SECTION -- 19 --

