

Cucumber Report

Jul 22, 2022, 10:33:39 PM

Start : Jul 22, 10:33:03.790 PM

End : Jul 22, 10:33:38.625 PM

Duration : 34.835 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 18


FAILED - 1

SKIPPED - 30







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	34.835 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	49	18	1	30	34.831 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 34.835 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 49 Pass - 18 Fail - 1 Skip - 30	
/ 10:33:03.790 PM // 10:33:38.625 PM /					





(S)- verify Checker user is able to Approve the record





<div>FAILED</div> <div>DURATION - 34.831 s</div>		<div></div>	<div>Steps</div> <div>Total - 49</div> <div>Pass - 18</div> <div>Fail - 1</div> <div>Skip - 30</div>	<div></div>
<div>/ 10:33:03.794 PM // 10:33:38.625 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_Approve_Reject_Return</div>				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.729 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	1.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
12	Then validate Success pop up	PASSED	5.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
			
13	Then click on inbox	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
			
14	And open record for Approve	PASSED	2.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then submit the Record	PASSED	5.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
			
16	Then click on Product Master eye icon	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
			
17	Then click on Product Master add button	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
			
18	Then verify functionality and asterik mark of the field Product Group	PASSED	1.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	<p>Then Enter Product Code for reject</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8416dfefa718163804220c7473203155, sendKeysToElement {id=00633a84-9e56-437e-82c7-acae35710e73, value=[Ljava.lang.CharSequence;@65a48cab]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62648}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62648/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8416dfefa718163804220c7473203155)] -> xpath: //ion-row[1]/ion-col[3]/ion-item[1]/ion-input[1]/input] Session ID: 8416dfefa718163804220c7473203155 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.enter_product_code_for_reject(ProductMaster_Retail.java:89) at ?.Enter Product Code for reject(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:81) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.175 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
			
20	Then Enter Product Description	SKIPPED	0.000 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.000 s
24	Then validate Success pop up	SKIPPED	0.001 s
25	Then click on inbox	SKIPPED	0.000 s
26	And open record for Reject	SKIPPED	0.000 s
27	Then submit the Record	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on Product Master add button	SKIPPED	0.001 s
30	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
31	Then Enter Product Code for Return	SKIPPED	0.000 s
32	Then Enter Product Description	SKIPPED	0.000 s
33	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
34	Then verify the field Remarks	SKIPPED	0.000 s
35	Then click on save button	SKIPPED	0.000 s
36	Then validate Success pop up	SKIPPED	0.000 s
37	Then click on inbox	SKIPPED	0.000 s
38	And open record for Return	SKIPPED	0.000 s
39	Then submit the Record	SKIPPED	0.000 s
40	Then Logout from Maker	SKIPPED	0.000 s
41	And User Login as Checker	SKIPPED	0.000 s
42	Then click on Menu	SKIPPED	0.000 s
43	Then click on inbox	SKIPPED	0.000 s
44	Then Open the record to approve it	SKIPPED	0.000 s
45	Then approve the record	SKIPPED	0.000 s
46	Then Open the record to reject it	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
47	Then reject the record	SKIPPED	0.000 s
48	Then Open the record to return it	SKIPPED	0.000 s
49	Then return the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

97.0M

23.0M

26.0M

5.0M

2.0M

2.0M

6.0M

AHLAALAPLCDAFCCCTL

Productcode

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

🔧

📄

📁

🔍 Asset Collateral Config

🔍 Business Rules

🔍 Corporate Masters

🔍 Misc Config

🔍 Other Masters

🔍 Product Definitions

🔍 Product Setup

🔍 Regulatory Product Defini...

🔍 Project Setup

🔍 Config Manager


☰

📧 English ▾ LOS ▾ Azentio Software ▾

🔍 🔔 👤 Puneet 01-Sep-2023


Product wise Analysis

Product-wise Amount Financed




Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed



Scheme wise Amount Financed



Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

🔧

📄

📁

🔍 Asset Collateral Config

🔍 Business Rules

🔍 Corporate Masters

🔍 Misc Config

🔍 Other Masters

🔍 Product Definitions

🔍 Product Setup

🏠 Asset Auto Master

🏠 Asset CD Master

🏠 Product master

🏠 Sub Product Master

🔍 Regulatory Product Defini...

🔍 Project Setup

🔍 Config Manager

☰

📧 English ▾ LOS ▾ Azentio Software ▾

🔍 🔔 👤 Puneet 01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table lists five entries, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 106 entries' with pagination controls. The top right of the page shows user information for 'Puneet' on '01-Sep-2023'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	A	OK	R	Active
	98303249	HOMPUR 3	Housing Loan 3	R	Active
	98303275	8	ASDFG	R	Active
	98303249	HOMEXT	Housing Loan	R	Active
	98303275	ad01	ad011	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the first screenshot. The main content area is titled 'Product Master' and contains a form with fields: Product Group (dropdown menu), Product Code (text input), Product Description (dropdown menu), Retail/Corporate (dropdown menu), and Remarks (text area). A dropdown menu is open for 'Product Description', showing options: Deposits, Lending (selected), Trade, and Treasury. The top right of the page shows user information for 'Puneet' on '01-Sep-2023'.

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

DM Code

Remarks

Product Code *

A ▾

Retail/Corporate *

Select ▾

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

OK

DM Code

Remarks

Product Code *

A

Retail/Corporate *

Select ▾

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

OK

DM Code

Remarks

Product Code *

A

Retail/Corporate *

Select ▾

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area is titled 'Product Master' and contains the following fields: Product Group (Lending), Product Code (A), Product Description (OK), Retail/Corporate (Retail), DM Code, and Remarks. The 'Retail/Corporate' dropdown menu is open, showing options: Select, Corporate, and Retail (selected). The top navigation bar includes a hamburger menu, language (English), location (LOS), software (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a red button with a plus icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area is titled 'Product Master' and contains the following fields: Product Group (Lending), Product Code (A), Product Description (OK), Retail/Corporate (Retail), DM Code, and Remarks. The 'Remarks' field contains the text 'HomeLoan'. The top navigation bar includes a hamburger menu, language (English), location (LOS), software (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a red button with a plus icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The image shows the 'Product Master' form in the Azentio software. The form is white with a light blue header. It contains several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'A'), 'Product Description' (text input with 'OK'), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input), and 'Remarks' (text input with 'HomeLoan'). There are also buttons for 'Add', 'Edit', and 'Delete'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The image shows the 'Product Master' table in the Azentio software. The table has a light blue header and a white body. It contains several rows of data. The columns are: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table shows 5 entries, with the first 4 entries being 'Active' and the 5th entry being 'CHECKER'. There is a green success message at the top right of the table.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A	OK	R	Active	
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303275	8	ASDFG	R	Active	
	98303249	A	OK	R	Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the Azentio logo at the top. Below the logo are several menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area on the right is titled 'Inbox' and shows 'Action' with a search bar and a status 'Showing 0 to 0 of 0 entries'. At the top right of the main area, there is a header bar with 'English', 'LOS', 'Azentio Software', and a user profile for 'Puneet' dated '01-Sep-2023'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

This screenshot shows the Azentio software interface with a list of records in the 'Inbox' section. The sidebar is identical to the previous screenshot, with 'Product master' highlighted. The main area displays a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, with the first row highlighted in orange. At the top right, the header bar shows 'English', 'LOS', 'Azentio Software', and the user profile for 'Puneet' dated '01-Sep-2023'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5689	PRODUCT_MST	MAKER	LOSMKR	in00135	22-Jul-2022 22:32	TSW	
	74	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 20:16	TSW	
	73	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 19:56	TSW	
	81	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 19:8	TSW	
	78	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:43	TSW	
	75	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:19	TSW	
	74	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:2	TSW	
	72	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 17:28	TSW	
	72	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:15	TSW	
	69	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:2	TSW	

(F) Product Master Retail Functionality

☰

English

LOS

Azentio Software

01-Sep-2023

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Inbox

Profile

Q

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	74	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 20:16	TSW	
	73	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 19:56	TSW	
	81	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 19:8	TSW	
	78	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:43	TSW	
	75	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:19	TSW	
	74	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 18:2	TSW	
	72	SCHEME_MST	MAKER	LOSMKR	in00135	22-Jul-2022 17:28	TSW	
	72	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:15	TSW	
	69	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 17:2	TSW	
	19	FLOATING_RATE	MAKER	LOSMKR	in00135	22-Jul-2022 16:30	TSW	

(F) Product Master Retail Functionality

[illegible]

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

☰

🔍

🔧

📄

📧

English

LOS

Azentio Software

👤

🔔

Puneet

01-Sep-2023

Product Master

+

🔍

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	A	OK	R	Active
	98303249	HOMPUR 3	Housing Loan 3	R	Active

←

Product Master

📄

Product Master

Product Group *

Select

Product Code *

Product Description *

Retail/Corporate *

Select

DM Code

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Menu

English

LOS

Azentio Software

Product Master

Product Group *

Lending

Product Description *

Select

Deposits

DM Code

Lending

Trade

Remarks

Treasury

Product Code *

Retail/Corporate *

Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio Product Master form. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' title bar with a back arrow and a red notification icon. The form fields include: Product Group (dropdown with 'Lending' selected), Product Code (empty text field), Product Description (empty text field with a lock icon), Retail/Corporate (dropdown with 'Select' selected), DM Code (empty text field), and Remarks (empty text area).