Cucumber Report

| *Start : Sep 23, 12:33:46.861 AM*	*End : Sep 23, 12:34:45.083 AM*	*Duration : 58.222 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 16 FAILED - 1 SKIPPED - 1

1

1

18

Pass %

0 %

Pass %

0 %

Pass %

88 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	58.222 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Check the functionality of Customer Address Details screen*	*Verify the Customer Address Information Parameter details List view*	18	16	1	1	58.218 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 58.222 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 12:33:46.861 AM // 12:34:45.083 AM /		Pass - 0	1	Pass - 16	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- Verify the Customer Address Information Parameter details List view

FAILED	DURATION - 58.218 s		Steps	
/ 12:33:46.865 AM // 12:34:45.083 AM /			Total - 18	
Check the functionality of Customer Address Details screen			Pass - 16	18
			Fail - 1	
@AT_CAD_010			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	8.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.499 s
	screenshot		
2	And User Login as maker	PASSED	4.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.111 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then user should click on the menu toggle	PASSED	0.649 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.319 s
4	Then click on inbox to search for the Customer Address Details record	PASSED	0.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.417 s
5	Then click on search button to search the record of Customer Address Details	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.267 s
6	Then enter the reference id of the Customer Address Details record	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.215 s

#	Step / Hook Details	Status	Duration
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.682 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.705 s
	screenshot		
9	Then select the Customer Address details record from the customer personal detail screen	PASSED	0.509 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.561 s
	screenshot		
10	Then Verify system should display mention fields on List view of Customer Address Information Parameter details	PASSED	1.452 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Verify the values in List view should be non editable on List view of Customer Address details	PASSED	0.526 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
12	Then select the record of Address details from the customer identification screen	PASSED	1.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.596 s
	screenshot		
13	Then Verify the functionality of Back button on List view of Customer Address details	PASSED	1.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
14	Then click on export to pdf button system should download Pdf file of Customer Address details	PASSED	2.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then click on export to excel button system should download Excel file of Customer Address details	PASSED	0.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
16	Then verify search box should display matching record with matched data of Customer Address details	PASSED	1.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
17	Then verify search box should not display any record with mismatched data of Customer Address details	FAILED	10.293 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-title[text()=' Address Details ']/ancestor::ion-card/descendant::button[@ng-reflect-text='Search']' (tried for 10 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)
	    at stepdefinitions.CustomerAddressDetails. verify_search_box_should_not_display_any_record_with_mismatched_data_of_customer_address_details(CustomerAddressDetails.java:550)
	    at ?.verify search box should not display any record with mismatched data of Customer Address details(file:///C:/Users/inindc00091/git/ Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:107)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-title[text()=' Address Details ']/ancestor::ion-card/descendant::button[@ng-reflect-text='Search']"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7e61ab306cc22f5238252205c3ce10a5, findElement {using=xpath, value=//ion-title[text()=' Address Details ']/ancestor::ion-card/descendant::button[@ng-reflect-text='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir:		

| #	Step / Hook Details	Status	Duration

	C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56678}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56678/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7e61ab306cc22f5238252205c3ce10a5
	    at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	    at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)
	    at stepdefinitions.CustomerAddressDetails.
	verify_search_box_should_not_display_any_record_with_mismatched_data_of_customer_address_details(CustomerAddressDetails.java:550)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

#	Step / Hook Details	Status	Duration
18	Then Verify the functionality of add button	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

Customer Personal Information

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

Address Details

Action	Address Type	Country	Occupancy Status	Occupance Since	Contact Address	Status
✏️ 👁	986	1105415	52420	03-Sep-2022	AddressLine1	Active
✏️ 👁	16	1105415	52420	21-Sep-2022	Samta Colony	Active
✏️ 👁	16	1105415	52420	21-Sep-2022	Samta Colony	Active
✏️ 👁	16	1105415	98303498	19-Oct-2022	2B	Active
✏️ 👁	16	1105415	98303498	19-Oct-2022	2B	Active

Showing 1 to 5 of 5 entries « < 1 > » 5

Contact Details

Action	Phone Type	Phone Number	Email Type	Email Id	Status
			No Records found		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

Address Details

Action	Address Type	Country	Occupancy Status	Occupance Since	Contact Address	Status
✏️ 👁	986	1105415	52420	03-Sep-2022	AddressLine1	Active
✏️ 👁	16	1105415	52420	21-Sep-2022	Samta Colony	Active
✏️ 👁	16	1105415	52420	21-Sep-2022	Samta Colony	Active
✏️ 👁	16	1105415	98303498	19-Oct-2022	2B	Active
✏️ 👁	16	1105415	98303498	19-Oct-2022	2B	Active

Showing 1 to 5 of 5 entries « < 1 > » 5

Contact Details

Action	Phone Type	Phone Number	Email Type	Email Id	Status
			No Records found		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

AZENTIO
ONEBanking

Engl... | LOS | Aze...

Address Details

Action	Address Type	Country	Occupancy Status	Occupance Since	Contact Address	Status
✏️ 👁	986	1105415	52420	03-Sep-2022	AddressLine1	Active
✏️ 👁	16	1105415	52420	21-Sep-2022	Samta Colony	Active
✏️ 👁	16	1105415	52420	21-Sep-2022	Samta Colony	Active
✏️ 👁	16	1105415	98303498	19-Oct-2022	2B	Active
✏️ 👁	16	1105415	98303498	19-Oct-2022	2B	Active

Showing 1 to 5 of 5 entries « ‹ 1 › » 5

Contact Details

Action	Phone Type	Phone Number	Email Type	Email Id	Status

No Records found « ‹ › » 5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

AZENTIO
ONEBanking

Engl... | LOS | Aze...

Address Details

X 986

Action	Address Type	Country	Occupancy Status	Occupance Since	Contact Address	Status
✏️ 👁	986	1105415	52420	03-Sep-2022	AddressLine1	Active

Showing 1 to 1 of 1 entries « ‹ 1 › » 5

Contact Details

Action	Phone Type	Phone Number	Email Type	Email Id	Status

No Records found « ‹ › » 5

References List View

Action	Salutation	Name	Mobile Number	Years known	Status

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify the Customer Address Information Parameter details List view

(F) Check the functionality of Customer Address Details screen

AZENTIO
ONEBanking

Address Details

Action	Address Type ⇅	Country ⇅	Occupancy Status ⇅	Occupance Since ⇅ 1	Contact Address ⇅	Status ⇅
✏ 👁	986	1105415	52420	03-Sep-2022	AddressLine1	Active

Showing 1 to 1 of 1 entries « ‹ 1 › »   5 ⌄

Contact Details

Action	Phone Type ⇅	Phone Number ⇅	Email Type ⇅	Email Id ⇅	Status ⇅

No Records found   « ‹ › »   5 ⌄

References List View

Action	Salutation ⇅	Name ⇅	Mobile Number ⇅	Years known ⇅	Status ⇅

No Records found

Menu items:
- Dashboard
- Configurations
- Transactions
- Reports