Cucumber Report

| Start : Jul 20, 12:50:22.258 PM	End : Jul 20, 12:50:46.851 PM	Duration : 24.593 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 19

| #	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	24.593 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product master	Product Master - Modify records (approve, reject and return) at maker stage	22	2	1	19	24.588 s

(F)- Check the functionality of product master

FAILED	*DURATION - 24.593 s*	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 22 Pass - 2 Fail - 1 Skip - 19	22
/ 12:50:22.258 PM // 12:50:46.851 PM /					

(S)- Product Master - Modify records (approve, reject and return) at maker stage

FAILED	*DURATION - 24.588 s*		Steps Total - 22 Pass - 2 Fail - 1 Skip - 19	22
/ 12:50:22.263 PM // 12:50:46.851 PM /				
Check the functionality of product master				
@M5				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	14.547 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.482 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then user should navigate to product master	FAILED	0.081 s

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression ///h4[contains(text(),'Product Setup')] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '///h4[contains(text(),'Product Setup')]' is not a valid XPath expression.   (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b04c7e0b2dc356a7682f06eea3d53c57, findElement {using=xpath, value=///h4[contains(text(),'Product Setup')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59836}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59836/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b04c7e0b2dc356a7682f06eea3d53c57
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
    at stepdefinitions.ProductMaster_Retail.user_should_navigate_to_product_master(ProductMaster_Retail.java:27)
    at ?.user should navigate to product master(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:6)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
4	And click on edit view of product master	SKIPPED	0.001 s
5	Then click on edit button of record to modify	SKIPPED	0.000 s
6	Then user should verify the buttons available on screen while modify	SKIPPED	0.000 s
7	Then verify system should modify before approved the record	SKIPPED	0.000 s
8	Then verify system should modify already approved record	SKIPPED	0.001 s
9	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
10	Then click on inbox and select the modified record	SKIPPED	0.000 s
11	Then click on submit button	SKIPPED	0.000 s
12	Then user verify that system should display confirmation message after submit	SKIPPED	0.000 s
13	And click on edit view of product master	SKIPPED	0.000 s
14	Then click on edit button of record to modify	SKIPPED	0.000 s
15	Then verify system allow user to save modified record with valid data	SKIPPED	0.001 s
16	Then click on inbox and select the modified record	SKIPPED	0.000 s
17	Then click on submit button	SKIPPED	0.003 s
18	And click on edit view of product master	SKIPPED	0.000 s
19	Then click on edit button of record to modify	SKIPPED	0.000 s
20	Then verify system allow user to save modified record with valid data	SKIPPED	0.001 s
21	Then click on inbox and select the modified record	SKIPPED	0.001 s
22	Then click on submit button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by **Metabase**