

Cucumber Report

Sep 22, 2022, 2:38:16 PM

Start : Sep 22, 2:36:48.556 PM

End : Sep 22, 2:38:14.560 PM

Duration : 1 m 26.004 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 13







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	1 m 26.004 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields	29	15	1	13	1 m 25.999 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 1 m 26.004 s	Scenarios		Steps	
/ 2:36:48.556 PM // 2:38:14.560 PM /		Total - 1		Total - 29	
		Pass - 0		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	


(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields


<div>FAILED</div> <div>DURATION - 1 m 25.999 s</div>	<div></div>	<div>Steps</div> <div>Total - 29</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 13</div> <div></div>
<div>/ 2:36:48.560 PM // 2:38:14.559 PM /</div>		
<div>Check the functionality of Customer Address Details screen</div>		
<div>@AT_CAD_01</div>		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.742 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		
			
2	And User Login as maker	PASSED	3.616 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Inbox Icon	PASSED	1.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
			
4	And user click search icon	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
			
5	And user Enter Customer Address details Application ID	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			
6	And user click on First record of Appdata Entry	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
7	And user click on Additional customer Info Tab	PASSED	1.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.776 s
	screenshot		
			
8	And user click on First Record Edit Icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.812 s
	screenshot		
			
9	And user click on Address Information Add Icon	PASSED	0.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.532 s
	screenshot		
			
10	And user verify the Address Type field and Choose the value	PASSED	0.698 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
			
11	And user verify the Address status field and choose the value	PASSED	0.448 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user verify the Residential status field and choose the value	PASSED	0.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
			
13	And user verify the Address Line 1 field and Enter the Vaue	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
			
14	And user verify the Address Line 2 field and Enter the Vaue	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
			
15	And user verify the country field and choose the value	PASSED	2.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
16	<p>And user verify the District Name field and Enter the value</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (749da5192576f5aad8cb754fad7433ea)] -> xpath: //ion-label[text()=' Neighbourhood/District Name']/parent::ion-item//input] (tried for 60 second(s) with 2 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103) at stepdefinitions.Customer_Address_Information. user_verify_the_district_name_field_and_enter_the_value(Customer_Address_Information.java:165) at ?.user verify the District Name field and Enter the value(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:129) * Not displayable characters are replaced by '?'. </pre>	FAILED	1 m 0.029 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.173 s
17	And user verify the Zip code field and Enter the value	SKIPPED	0.000 s
18	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
19	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.000 s
20	And user verify the Duration of stay field and Enter the value	SKIPPED	0.000 s
21	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the Longitude details of the address field and Enter the Value	SKIPPED	0.000 s
23	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
24	And user verify the Occupancy date field and choose the date	SKIPPED	0.000 s
25	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s
26	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
27	And user verify the Rent amount field and Enter the Value	SKIPPED	0.001 s
28	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.000 s
29	And user click the Save the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields







(F) Check the functionality of Customer
Address Details screen







(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



AZENTIO
ONEBanking



Engl...▼ LOS▼ Aze...▼









Inbox





Action

Showing 0 to 0 of 0 entries


10



AZENTIO
ONEBanking












Engl...▼ LOS▼ Aze...▼



Inbox

×

|

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 14:33	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Engl... LOS Aze...

Search: 506

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 14:33	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking


Engl... LOS Aze...

Search: 506


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries << < 1 > >> 10

(F) Check the functionality of Customer Address Details screen



(F) Check the functionality of Customer Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type * Home

Residential Or Occupancy Status * Select

Address Line 1 *

Country * Select

Address Status * Previous

Communication Address Select

Address Line 2 * Previous

Province Id * Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type * Home

Residential Or Occupancy Status * Financed

Address Line 1 * If Rental, Month Rental

Country * Select

Address Status * Previous

Communication Address Select

Address Line 2 *

Province Id * Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address' form in the AZENTIO ONEBanking application. The form is titled 'Customer Address' and has a back arrow button. It contains several input fields and dropdown menus. The 'Address Type' dropdown is set to 'Home'. The 'Residential Or Occupancy Status' dropdown is set to 'Financed'. The 'Address Line 1' text field contains '2B'. The 'Country' dropdown is set to 'Select'. The 'Address Status' dropdown is set to 'Previous'. The 'Communication Address' toggle switch is turned off. The 'Address Line 2' text field is empty. The 'Province Id' dropdown is set to 'Select'. At the top of the form, there are search bars for 'Application ID', 'Applicant Name', and 'Customer ID'. Below these are navigation tabs: 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info' (which is highlighted), 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', and 'Next'. On the right side of the form, there are buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', 'Print', and a help icon. A blue 'Add' button with a plus icon is located at the bottom right of the form.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

This screenshot is identical to the one above, showing the 'Customer Address' form. However, the 'Address Line 2' text field now contains the text 'ABCD'. All other fields and the overall layout remain the same.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen